ERRATUM

Erratum to: Role of strain values using automated function imaging on transthoracic echocardiography for the assessment of acute chest pain in emergency department

Mirae Lee^{1,3} · Sung-A Chang^{1,2} · Eun Jeong Cho¹ · Sung-Ji Park^{1,2} ·
Jin-Oh Choi^{1,2} · Sang-Chol Lee^{1,2} · Jae K. Oh^{1,2,4} · Seung Woo Park^{1,2}

Published online: 18 June 2015
© Springer Science+Business Media Dordrecht 2015

**Erratum to: Int J Cardiovasc Imaging (2015)
31:547–566
DOI 10.1007/s10554-015-0588-z**

the original publication. The correct corresponding author details and the affiliations of co-authors are given below.

Unfortunately, the corresponding author information and co-authors affiliations have been incorrectly published in

The online version of the original article can be found under doi:[10.1007/s10554-015-0588-z](https://doi.org/10.1007/s10554-015-0588-z).

✉ Sung-A Chang
elisabet.chang@gmail.com

✉ Seung Woo Park
s.woo.park@samsung.com

¹ Division of Cardiology, Department of Medicine, Samsung Medical Center, Sungkyunkwan University School of Medicine, 81 Irwon-ro, Gangnam-gu, Seoul 135-710, Republic of Korea

² Heart Vascular Stroke Imaging Center, Heart Vascular Stroke Institute, Samsung Medical Center, Seoul, Republic of Korea

³ Division of Cardiology, Department of Medicine, Samsung Changwon Hospital, Sungkyunkwan University School of Medicine, Changwon-Si, Gyeongsangnam-Do, Republic of Korea

⁴ Division of Cardiovascular Diseases, Mayo Clinic College of Medicine, Rochester, MN, USA