Preface

Dirk Mohr · Krishnaswamy Ravi-Chandar

Published online: 12 July 2016
© Springer Science+Business Media Dordrecht 2016

While there have been significant and sustained research efforts over the last half a century aimed understanding and predicting plastic instabilities and ductile failure in metals, research in ductile failure characterization and modeling continues extremely actively due to the complexity of the underlying physics and to society's growing quest for safe and efficient lightweight structures. A wide spectrum of modeling approaches is used to model plastic deformation, instabilities and failure, including the analysis of shear bands, gradient plasticity, micromechanics of porous mesostructures and homogenization-based constitutive modeling. Motivated by experimental observations at the macroscopic level, continuum damage mechanics and empirical models predicting ductile fracture are being developed. Multi-scale models that homogenize from atomistics to the continuum level are also actively pursued. Calibration of these models to physical characteristics of different classes of ductile materials, and implementation of the methods into scale independent numerical simulations continue to pose significant challenges. Recent progress in experimental mechanics, in particular in tomography and micrography, provides valuable new insight into the underlying mechanisms of ductile fracture. With the availability of such new techniques, novel diagnostic experiments

can be designed at multiple length scales to facilitate the development of physically-sound multi-scale models.

With a goal of capturing the state-of-the-art and facilitating future progress in the field, a Symposium on Ductile Failure and Localization was held at the “Maison des Polytechniciens” in Paris from March 17 to 20, 2016, under the auspices of the International Union of Theoretical and Applied Mechanics (IUTAM). The symposium was co-chaired by Professor D. Mohr from Ecole Polytechnique and Prof. K. Ravi-Chandar from the University of Texas. The symposium brought together leading physicists and engineering scientists working in both academia and industry with interest in ductile failure and plastic localization. The presentations at the Symposium could be grouped roughly into three subareas, namely microscopic observations and analysis, phenomenological modeling of ductile fracture and porous plasticity. Remarkably active discussions took place among all subgroups of researchers working in the field that usually do not meet or exchange at regular international conferences. For example, the recent progress on in-situ tomography fracture experiments was well-demonstrated and eventually generated a needed stimulus and guidance for the theoretically-inclined researchers working on advanced porous plasticity models. The presentations from researchers taking an industrial approach also provided a valuable insight into the advanced state of modeling ductile fracture in industrial practice that is usually not visible in the scientific literature. This Spe-

D. Mohr
ETH Zurich, Zurich, Switzerland

K. Ravi-Chandar (✉)
UT Austin, Austin, TX, USA
e-mail: ravi@utexas.edu

cial Volume of the International Journal of Fracture provides a selected collection of papers presented at the Symposium, subject to the customary peer review process of the journal.

Financial support from the Solid Mechanics Laboratory (LMS), Ecole Polytechnique and Altair Engineering (Sophia-Antipolis, France) is also gratefully acknowledged.