Impact of microzooplankton and copepods on the growth of phytoplankton in the Yellow Sea and East China Sea

Wuchang Zhang · Hongbo Li · Tian Xiao ·
Jing Zhang · Chaolun Li · Song Sun

Published online: 18 February 2009
© Springer Science+Business Media B.V. 2009

Erratum to: Hydrobiologia (2006) 553:357–366
DOI 10.1007/s10750-005-0857-2

The online PDF of this article contains the wrong Fig. 3 (a duplicate of Fig. 2). The correct figure is shown overleaf. (The printed version in Vol. 553 is correct.) We apologise for this error.

The online version of the original article can be found under doi:[10.1007/s10750-005-0857-2](https://doi.org/10.1007/s10750-005-0857-2).

W. Zhang (✉) · H. Li · T. Xiao · C. Li · S. Sun
Key Laboratory of Marine Ecology and Environmental
Sciences, Institute of Oceanology, Chinese Academy
of Sciences, 7 Nanhai Road, 266071 Qingdao,
People's Republic of China
e-mail: wuchangzhang@ms.qdio.ac.cn

J. Zhang
College of Chemistry and Chemical Engineering, Ocean
University of China, 5 Yushan Road, 266003 Qingdao,
People's Republic of China

Fig. 3 The results of the copepod addition incubations. The data were regressed according to Eq. (5)