Evolutionary Acceleration and Divergence in *Procolobus kirkii*

Katarzyna Nowak • Andrea Cardini • Sarah Elton

Published online: 8 November 2008
© Springer Science + Business Media, LLC 2008

Erratum to: Int J Primatol DOI 10.1007/s10764-008-9306-1

Due to a publication error, some of the data in Table 1 were not displayed correctly. We publish the corrected version of the table below:

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10764-008-9306-1>.

K. Nowak
Wildlife Conservation Research Unit (WildCRU), University of Oxford,
Tubney House, Abingdon Road, Abingdon OX13 5QL, UK
e-mail: katarzyna.nowak@zoo.ox.ac.uk

A. Cardini
Dipartimento del Museo di Paleobiologia e dell'Orto Botanico,
Università di Modena e Reggio Emilia, 41100 Modena, Italy
e-mail: alcardini@interfree.it

A. Cardini • S. Elton (✉)
Hull York Medical School, The University of Hull, Hull HU6 7RX, UK
e-mail: Sarah.Elton@hyms.ac.uk

Table 1 Taxa used in analysis and sample sizes

Genus/subgenus	Species	Subspecies	N	
			Females	Males
<i>Procolobus</i> (<i>Piliocolobus</i>)	<i>kirkii</i>	—	33	10
	<i>badius</i>	<i>badius</i>	36	23
		<i>temminckii</i>	11	4
		<i>waldroni</i>	15	6
	<i>gordonorum</i>		4	—
	<i>pennantii</i>	<i>bouvieri</i>	1	—
		<i>epieni</i>	—	1
		<i>preussi</i>	31	10
	<i>rufomitratu</i>	—	5	1
	sp.	<i>elliotti</i>	16	18
		<i>foai</i>	3	6
		<i>oustaleti</i>	9	5
		<i>tephrosceles</i>	7	16
		<i>tholloni</i>	4	2
<i>Procolobus</i> (<i>Procolobus</i>)	<i>verus</i>	—	20	7
<i>Colobus</i>	<i>angolensis</i>	—	4	4
	<i>guereza</i>	—	20	19
	<i>polykomos</i>	—	11	7