Erratum to: Microalgal fatty acid composition: implications for biodiesel quality

Graham Robert Stansell · Vincent Myles Gray ·
Stuart David Sym

Published online: 16 March 2012
© Springer Science+Business Media B.V. 2012

Erratum to: J Appl Phycol
DOI 10.1007/s10811-011-9696-x

In the sentence “The CN of a specific biodiesel/FAME mixture is then given by the following equation, where CN_i and m_i are the cetane number and mass percentage of each FAME in the biodiesel” mass percentage should read mass fraction. The corrected sentence is shown below.

The CN of a specific biodiesel/FAME mixture is then given by the following equation, where CN_i and m_i are the cetane number and mass fraction of each FAME in the biodiesel.

The equation:

$$\ln(x_i) = -\frac{\Delta H_{m,i}}{R} \left(\frac{1}{T_{m,i}} - \frac{1}{CP} \right)$$

Should read:

$$\ln(x_i) = \frac{\Delta H_{m,i}}{R} \left(\frac{1}{T_{m,i}} - \frac{1}{CP} \right)$$

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10811-011-9696-x>.

G. R. Stansell (✉) · S. D. Sym
School of Animal, Plant & Environmental Sciences,
University of the Witwatersrand,
Private Bag 3 WITS,
2050 Johannesburg, South Africa
e-mail: graham.stansell@students.wits.ac.za

V. M. Gray
School of Molecular and Cell Biology,
University of the Witwatersrand,
Private Bag 3 WITS,
2050 Johannesburg, South Africa