

Erratum to: Morphological and genetic differentiation of cultivated *Undaria pinnatifida* (Laminariales, Phaeophyta)

Kyosuke Niwa¹ · Atsushi Kobiyama² · Reiko Fuseya³ · Takashi Sakamoto⁴

Published online: 8 March 2017
© Springer Science+Business Media Dordrecht 2017

Erratum to: J Appl Phycol (2016)
DOI 10.1007/s10811-016-1031-0

The original version of this article unfortunately contained a mistake. Table 2 was incorrect. The correct Table 2 is now given below:

Table 2 Comparisons of size characteristics between cultivar 1 and cultivar 2 sporophytes of *Undaria pinnatifida* collected on January 8 and 25 and February 11, 2015

	January 8, 2015		January 25, 2015		February 11, 2015	
	Cultivar 1	Cultivar 2	Cultivar 1	Cultivar 2	Cultivar 1	Cultivar 2
TL (cm)	111.5 ± 6.0*	100.8 ± 6.7*	172.8 ± 8.2*	149.1 ± 12.7*	204.8 ± 14.9	199.8 ± 15.5
BL (cm)	91.5 ± 4.9*	83.9 ± 4.9*	135.8 ± 7.7*	123.4 ± 10.3*	160.1 ± 12.2	167.2 ± 13.2
BW (cm)	51.5 ± 4.2*	34.0 ± 3.5*	76.1 ± 9.0*	53.2 ± 3.4*	103.7 ± 9.9*	54.9 ± 3.8*
DBL (cm)	24.8 ± 3.2*	14.6 ± 2.1*	36.4 ± 3.2*	21.6 ± 1.9*	49.7 ± 6.6*	21.4 ± 1.6*
UBW (cm)	6.9 ± 1.3*	11.3 ± 1.3*	10.5 ± 1.3*	13.4 ± 1.9*	11.2 ± 1.0	12.9 ± 2.6
SL (cm)	20.0 ± 2.2*	16.9 ± 2.5*	37.0 ± 2.8*	25.7 ± 4.2*	44.6 ± 3.8*	32.6 ± 3.1*
SW (cm)	1.4 ± 0.1*	1.0 ± 0.1*	2.4 ± 0.2*	1.7 ± 0.1*	2.9 ± 0.2*	2.1 ± 0.1*
ST (cm)	0.4 ± 0.1	0.4 ± 0.0	0.5 ± 0.0	0.6 ± 0.1	0.7 ± 0.1	0.7 ± 0.0
BT (mm)	0.136 ± 0.024*	0.208 ± 0.033*	0.289 ± 0.030*	0.366 ± 0.038*	0.374 ± 0.061	0.349 ± 0.020
TW (g)	61.4 ± 13.1	61.7 ± 10.4	170.6 ± 26.4	172.3 ± 22.8	319.3 ± 63.2	286.8 ± 32.5

Mean ± SD ($n = 10$). The asterisk indicates the significant difference between cultivar 1 and cultivar 2 ($p < 0.05$)

TL total length (cm), BL blade length (cm), BW blade width (cm), DBL longest divided blade length (cm), UBW undivided blade width (cm), SL stipe length (cm), SW stipe width (cm), ST stipe thickness (cm), BT blade thickness (mm), TW total wet weight (g)

The online version of the original article can be at <http://dx.doi.org/10.1007/s10811-016-1031-0>.

✉ Kyosuke Niwa
kyosuke_niwa@pref.hyogo.lg.jp

¹ Fisheries Technology Institute, Hyogo Prefectural Technology Center for Agriculture, Forestry and Fisheries, Akashi, Hyogo 674-0093, Japan

² School of Marine Biosciences, Kitasato University, Sagami-hara, Kanagawa 252-0373, Japan

³ National Research Institute of Fisheries Engineering, Japan Fisheries Research and Education Agency, Kamisu, Ibaraki 314-0408, Japan

⁴ Department of Marine Biosciences, Tokyo University of Marine Science and Technology, Konan 4, Minato, Tokyo 108-8477, Japan