Erratum to: Risk factors associated with early- versus late-onset implantable cardioverter-defibrillator infections

Muhammad R. Sohail · Salwa Hussain · Katherine Y. Le · Chadi Dib ·
Christine M. Lohse · Paul A. Friedman · David L. Hayes · Daniel Z. Uslan ·
Walter R. Wilson · James M. Steckelberg · Larry M. Baddour · for the Mayo
Cardiovascular Infections Study Group

Published online: 19 October 2012
© Springer Science+Business Media New York 2012

Erratum to: J Interv Card Electrophysiol (2011)
31(2):171–183
DOI 10.1007/s10840-010-9537-x

The original version of this article unfortunately contained a mistake, Vikram HR was spelled incorrectly in Acknowledgments.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10840-010-9537-x>.

M. R. Sohail (✉) · S. Hussain · W. R. Wilson ·
J. M. Steckelberg · L. M. Baddour
Division of Infectious Diseases, Department of Medicine,
Mayo Clinic College of Medicine,
200 First Street SW,
Rochester, MN 55905, USA
e-mail: sohail.muhammad@mayo.edu

K. Y. Le
Mayo School of Graduate Medical Education,
Rochester, MN, USA

C. Dib
Department of Cardiovascular Diseases,
Oklahoma University Health sciences Center,
Oklahoma City, OK, USA

C. M. Lohse
Department of Biostatistics and Informatics,
Mayo Clinic College of Medicine,
Rochester, MN, USA

P. A. Friedman · D. L. Hayes
Division of Cardiovascular Diseases, Department of Medicine,
Mayo Clinic College of Medicine,
Rochester, MN, USA

D. Z. Uslan
Division of Infectious Diseases, Department of Medicine, David
Geffen School of Medicine, University of California Los Angeles,
Los Angeles, CA, USA