Conservation status of *Prodontria* (Coleoptera: Scarabaeidae) species in New Zealand

B. I. P. Barratt

Published online: 23 January 2007
© Springer Science+Business Media B.V. 2007

Erratum to: J Insect Conserv DOI 10.1007/s10841-006-9015-z

Due to an unfortunate error, an incorrect version of Fig. 1 and Table 1 has been used in the above mentioned publication. On the following pages, the correct reproductions have been published and should be treated as definitive by the reader.

Fig. 1 Map of the southern South Island of New Zealand showing type localities for *Prodontria* species, excluding *P. longitarsis* (Snares Islands). *Prodontria* 'Five Rivers' shows the locality where this species was found

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10841-006-9015-z>

B. I. P. Barratt (✉)
AgResearch Invermay, Invermay Agricultural Centre,
Puddle Alley, Private Bag 50034, Mosgiel, New Zealand
e-mail: barbara.barratt@agresearch.co.nz

Table 1 Described species of *Prodontria*, their type localities, known distribution and recognised threats

<i>Prodontria</i> species	Reference	Type locality	Distribution	Habitat	Locality code*	Recognised threats
<i>capito grandis</i>	(Broun 1909) Given 1964	Old Man Ra. Mt. Anglem, Stewart Isl.	Central Otago mountains Mt. Anglem and Table Hill, Stewart Isl.	Alpine herbfield Alpine herbfield	CO SI	Unknown Rodents are potential predators, last recorded in 1991 (McGuinness 2001) Unknown
<i>jenniferae</i>	Emerson 1997	Southern Pisa Ra.	Southern Pisa Ra., Kawerau Gorge	Forest margins to subalpine	CO	Unknown
<i>lewisii</i>	Broun 1904	Cromwell on sandhills of Molyneux (now Clutha) River	Cromwell Chafer Nature Reserve (81 ha)	Intermontane basin, windblown sand dunes	CO	Predators, habitat modification (McGuinness 2001)
<i>longitarsis</i>	(Broun 1909)	The Snares Isl.	The Snares Isl.		Snares	Unknown
<i>matagouriæ</i>	Emerson 1997	Sheldon Downs, Mackenzie Basin	Ben Ohau, Twizel, Mackenzie Basin, Burkes Pass	Intermontane basin shrubland	MK	Apparently associated and possibly dependent upon <i>Discaria toumatou</i> (matagouri) (McGuinness 2001)
<i>minuta modesta</i>	Emerson 1997 (Broun 1909)	Tekapo River delta Manorburn, Central Otago	Mackenzie Basin Alexandra area	Grassland Intermontane basin grassland	MK CO	Habitat modification Habitat modification from agricultural development, wilding pine and common thyme (McGuinness 2001)
<i>montis</i>	Emerson 1997	Rock and Pillar Ra.	Rock and Pillar Ra., Lammerlaw Ra.	Sub-alpine to alpine grassland/herbfield	CO	Unknown
<i>patricki</i>	Emerson 1997	Dansey's Pass	Dansey's Pass, Ida Ra., Omarama Saddle	Sub-alpine grassland	CO	Unknown
<i>pinguis</i>	Given 1952	Hector Mts	Hector Mts., Mt Tennyson	Sub-alpine grassland	CO	Unknown
<i>praelatella</i>	(Broun 1909)	Invercargill (Greenhills)	Coastal Southland and Stewart Isl.	Coastal dune vegetation	SL, SI	Unknown
<i>rakiurensis</i>	Emerson 1997	Table Hill, Stewart island	Table Hill, Mt Rakeahua	Sub-alpine to alpine grassland/herbfield	SI	Unknown
<i>regalis</i>	Emerson 1997	Crown Ra.	Crown Ra., Mt. Cardrona, Pisa Ra.	Alpine herbfield	CO	Unknown
<i>setosa truncata</i>	Given 1952 Given 1960	Hunter Mts Lake Monowai	Hunter Mts. Mt. Burns	Unknown Unknown	FD FD	Unknown Unknown
sp. 'Five Rivers'	–	–	Near Five Rivers, Southland Plains	Found in pasture	SL	May be extinct; habitat modification

*(Crosby et al. 1976)