Erratum to: Movement of carabids from grassy strips to crop land in organic agriculture

Mazhar Hussain Ranjha · Ulrich Irmeler

Published online: 22 August 2014
© Springer International Publishing Switzerland 2014

Erratum to: J Insect Conserv (2014) 18:457–467
DOI 10.1007/s10841-014-9657-1

The original article was published with typesetting errors in Table 1. The corrected table is given in this erratum.

Table 1 Total number of carabids released in the fields, total recaptured in different crops (W = wheat, C = clover, P = pumpkin) and in adjacent strips (S = grassy strip, and H = strip with hedge); T.rec.: total of recaptured

Species	Field 1				Field 2					Field 3				Total strips (%)
	Released	Recaptured		T. rec. (%)	Released	Recaptured			T. rec. (%)	Released	Recaptured		T. rec. (%)	
		Year 2010 (autumn)												
		W	S			C	P	S						
<i>P. melanarius</i>	488	147	26	36	382	83	15	18	30					
<i>P. niger</i>	55	8	14	40	60	2	1	4	12					
<i>N. brevicollis</i>	44	1	0	2	105	13	5	0	17					
	Year 2011 (spring)													
		C	H	S						W		S		
<i>P. melanarius</i>	2,046	141	39	44	11					1,826	179	75	14	33
<i>C. auratus</i>	53	21	6	3	57					190	85	20	55	21
<i>C. nemoralis</i>	45	3	8	1	27					5	0	0	0	75
<i>Poecilus</i> spp.	236	34	3	18	24					763	63	12	12	34

The online version of the original article can be found under doi:[10.1007/s10841-014-9657-1](https://doi.org/10.1007/s10841-014-9657-1).

M. H. Ranjha (✉) · U. Irmeler
University of Kiel, Kiel, Schleswig–Holstein, Germany
e-mail: mrnjha@ecology.uni-kiel.de