Erratum to: Proteomic analysis of protein extraction during hemofiltration with on-line endogenous reinfusion (HFR) using different polysulphone membranes

Emanuela Monari · Aurora Cuoghi · Elisa Bellei · Stefania Bergamini ·
Marialuisa Caiazzo · Filippo Aucella · Carmelo Loschiavo · Luca Corazza ·
Giuseppe Palladino · Luisa Sereni · Mauro Atti · Aldo Tomasi

Published online: 3 March 2015
© Springer Science+Business Media New York 2015

Erratum to: J Mater Sci: Mater Med (2014) 25:2691–2698
DOI 10.1007/s10856-014-5290-5

The original version of this article was published with incorrect format of author names. All the author names were reversed with surnames. They should have read as

“Emanuela Monari, Aurora Cuoghi, Elisa Bellei, Stefania Bergamini, Marialuisa Caiazzo, Filippo Aucella, Carmelo Loschiavo, Luca Corazza, Giuseppe Palladino, Luisa Sereni, Mauro Atti, Aldo Tomasi”. The authors apologise for this error and the inconvenience it has caused.

The online version of the original article can be found under doi:[10.1007/s10856-014-5290-5](https://doi.org/10.1007/s10856-014-5290-5).

E. Monari (✉) · A. Cuoghi · E. Bellei · S. Bergamini ·
A. Tomasi
Department of Diagnostic, Clinical and Public Health Medicine,
University of Modena and Reggio Emilia, Via del Pozzo,
71-41124 Modena, Italy
e-mail: emanuela.monari@unimore.it

M. Caiazzo · L. Corazza · G. Palladino · L. Sereni · M. Atti
Scientific Affairs, Bellco s.r.l, Mirandola, Modena, Italy

F. Aucella
IRCCS Hospital CSS, San Giovanni Rotondo, Foggia, Italy

C. Loschiavo
Division of Nephrology and Dialysis, Legnago, Verona, Italy