Erratum to: Ventilator-associated pneumonia: current status and future recommendations

Shai Efrati · Israel Deutsch · Massimo Antonelli ·
Peter M. Hockey · Ronen Rozenblum ·
Gabriel M. Gurman

Published online: 21 June 2012
© Springer Science+Business Media, LLC 2012

Erratum to: J Clin Monit Comput (2010) 24:161–168 DOI 10.1007/s10877-010-9228-2

The authors regret that text from the article entitled “Implementing Quality in Improvements in the Intensive Care Unit: Ventilator Bundle as an Example” written by Marya D. Zilberberg, Andrew F. Shorr, Marin H. Kollef and published in Critical Care Medicine 37, 305–309

(2009) was copied in the original publication of the article published in J Clin Monit Comput on 2010 Apr; 24(2): 161–8.

The proper course of action would have been to cite Dr Zilberberg’s text in appropriate quotational form, and include Dr. Zilberberg et al. article to the reference list. We deeply apologize for this mistake.

The online version of the original article can be found under doi:[10.1007/s10877-010-9228-2](https://doi.org/10.1007/s10877-010-9228-2).

S. Efrati (✉) · I. Deutsch
Research & Development Unit, Assaf Harofeh Medical Center,
Affiliated with the Sackler School of Medicine, Tel-Aviv
University, Zerifin 70300, Israel
e-mail: efratishai@013.net

M. Antonelli
Department of Intensive Care and Anesthesiology, Policlinico
Universitario A. Gemelli, Università Cattolica del Sacro Cuore,
Largo A, Rome, Italy

P. M. Hockey
General and Respiratory Medicine, Hampshire Community
Health Care, Hampshire, UK

R. Rozenblum
The Center for Patient Safety Research and Practice, Division of
General Medicine, Brigham & Women’s Hospital and Harvard
Medical School, Boston, MA, USA

G. M. Gurman
Faculty of Health Sciences, Beer-Sheva, and Myney Hayesuah
Medical Center, Ben-Gurion University of the Negev, Bnei
Brak, Israel