ERRATUM

Erratum to: Variability of State School-Based Hearing Screening Protocols in The United States

Deepa L. Sekhar¹ · Thomas R. Zalewski² · Ian M. Paul^{1,3}

Published online: 26 May 2016
© Springer Science+Business Media New York 2016

**Erratum to: J Community Health (2013)
38:569–574
DOI 10.1007/s10900-013-9652-6**

Unfortunately, the original version of this article contained a mistake in one sentence of “Results” section. That is, the sentence should have included “Maine” not “Maryland”.

The correct sentence should read as:

Specifically, protocols from Tennessee, Missouri, Mississippi and Maine recommend the inclusion of 6 and/or 8 kHz, but these frequencies are not required frequencies to be screened.

The online version of the original article can be found under doi:[10.1007/s10900-013-9652-6](https://doi.org/10.1007/s10900-013-9652-6).

✉ Deepa L. Sekhar
dsekhar@hmc.psu.edu

¹ Department of Pediatrics, Penn State College of Medicine, 500 University Drive, HS83, Hershey, PA 17033, USA

² Department of Audiology, Bloomsburg University, 400 E 2nd Street, Bloomsburg, PA 17815, USA

³ Department of Public Health Sciences, Penn State College of Medicine, 500 University Drive, HS83, Hershey, PA 17033, USA