Erratum to: Fe_{73.5}Cu₁Nb₃ Si_{15.5}B₇ Thin Films Deposited by HiPIMS: Magnetic and Magnetostrictive Behavior

Ioana-Laura Velicu · Maria Neagu · Vasile Tiron

Published online: 14 November 2014
 © Springer Science+Business Media New York 2014

Erratum to: J Supercond Nov Magn (2014)
 DOI 10.1007/s10948-014-2740-8

The original version of this article unfortunately contained mistakes. The relationship

$$\lambda_s \approx v_{cr} \cdot \lambda_s^{FeSi} + 1 - v_{cr} \times \lambda_s^{am} \quad (1)$$

should be written as

$$\lambda_s \approx v_{cr} \cdot \lambda_s^{FeSi} + (1 - v_{cr}) \times \lambda_s^{am}$$

and the relationship (2)

$$\lambda_s = \frac{2}{3} \lambda_{||} - \lambda_{\perp} = -\frac{2}{9} \times \frac{\delta_{||} - \delta_{\perp}}{L^2} \times \frac{E_s \times h_s^2 \times 1 + v_f}{E_f \times h_f \times 1 + v_s} \quad (2)$$

should be written as

$$\lambda_s = \frac{2}{3} (\lambda_{||} - \lambda_{\perp}) = -\frac{2}{9} \times \frac{\delta_{||} - \delta_{\perp}}{L^2} \times \frac{E_s \times h_s^2 \times (1 + v_f)}{E_f \times h_f \times (1 + v_s)}$$

The authors would like to apologize for any inconvenience caused.

The online version of the original article can be found at doi: 10.1007/s10948-014-2740-8.

I.-L. Velicu · M. Neagu (✉) · V. Tiron
 Faculty of Physics, Physics Department, “Alexandru Ioan Cuza”
 University, Blvd. Carol I, No. 11, 700506, Iași, Romania
 e-mail: mneagu@uaic.ro