



## Correction to: Study of human blood under influence of magnetic field by AC dielectric and thermally stimulated discharge current methods

Dayal Saran<sup>1</sup> · Rohan Sagar<sup>1</sup> · Mulayam Singh Gaur<sup>1</sup>

Published online: 21 November 2018  
© Akadémiai Kiadó, Budapest, Hungary 2018

**Correction to:**  
**Journal of Thermal Analysis and Calorimetry**  
<https://doi.org/10.1007/s10973-018-7831-5>

In the original publication of the article, Tables 1 and 2 were swapped. The correct versions are given below (Tables 1, 2). The original article has been corrected.

**Table 1** Cole–Cole parameters without exposure of magnetic field

Real part of permittivity ( $\epsilon'$ )	Complex part of permittivity ( $\epsilon''$ )	Optical dielectric constant ( $\epsilon_{\infty}$ )	Static dielectric constant ( $\epsilon_0$ )	Angle ( $\theta$ )
$1.28 \times 10^5$	$1.81 \times 10^5$	$7.0 \times 10^3$	$1.69 \times 10^5$	45.17

**Table 2** TSDC parameters of magnetic field polarized human blood with heating of  $3 \text{ }^\circ\text{C min}^{-1}$

Sr. no.	Magnetic field/T	1st peak		2nd peak	
		Activation energy/eV	Charge released/nC	Activation energy/eV	Charge released/nC
(a)	0.00	0.03	1.23	0.07	3.24
(b)	0.25	0.07	3.26	0.09	4.12
(c)	0.50	0.57	4.28	0.67	5.23
(d)	0.75	0.78	5.67	0.89	6.18
(e)	1.00	0.93	6.13	1.32	6.98

The original article can be found online at <https://doi.org/10.1007/s10973-018-7831-5>.

✉ Mulayam Singh Gaur  
mulayamgaur@rediffmail.com

<sup>1</sup> Shri Anand Swaroop Interdisciplinary Research Laboratory,  
Hindustan College of Science and Technology,  
Farah, Mathura, UP 281122, India