Erratum to: An improved multimodal signal-image compression scheme with application to natural images and biomedical data

Tahar Brahimi¹ • Larbi Boubchir² • Régis Fournier³ •
Amine Naït-Ali³

Published online: 19 November 2016
© Springer Science+Business Media New York 2017

Erratum to: Multimed Tools Appl
DOI: 10.1007/s11042-016-3952-7

In the original publication, reference citations in Figure 9 was incorrectly written as [23] and [22]. It should be written as [35] and [50]. In Figures 4, 5 and 6 “Reconstructed quantized signal” should be renamed as “Decoded quantized signal” and “Inverse 2D wavelet decomposition” found in Figs. 5 and 6 should be performed after “Image pixel interpolation.” The original article was corrected.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11042-016-3952-7>.

✉ Larbi Boubchir
larbi.boubchir@ai.univ-paris8.fr

Tahar Brahimi
t.brahimi@gmail.com; tbrahimi@univ-jijel.dz

Régis Fournier
rfournier@u-pec.fr

Amine Naït-Ali
naitali@u-pec.fr

¹ L2EI research Laboratory, Department of Electronics, Jijel University, BP 98 Ouled Aissa, Jijel 18000, Algeria

² LIASD research Laboratory, Department of Computer Science, University of Paris 8, 2 rue de la liberté, 93526 Saint-Denis cedex, France

³ LiSSi research Laboratory, University of Paris-Est Créteil Val-de-Mame, 61 Avenue du Général de Gaulle, 94000 Créteil, France