Intersection of a ruled surface with a free-form surface

Xiaoping Wang · Weizhong Zhang · Liyan Zhang

Published online: 11 October 2007

© Springer Science + Business Media, LLC 2007

Erratum to: Numer Algor, published online: 14 August 2007

DOI 10.1007/s11075-007-9118-y

Due to conversion problems, Figs. 2, 3, 4, 5 and 6 in the paper by these authors have been misrepresented. They are hereby presented in proper fashion.

Fig. 2 Piecewise tracing one connected component, where L_i are critical points and P_i are starting points, $i=1,2$

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11075-007-9118-y>.

X. Wang (✉) · L. Zhang

Research Center of CAD/CAM Engineering, Nanjing University of Aeronautics and Astronautics,
Nanjing 210016, People's Republic of China

e-mail: harayano@hotmail.com

W. Zhang

College of Information Engineering, Qingdao University, Qingdao 266071,
People's Republic of China

Fig. 3 Open intersection curve, where point P_0 is starting point for tracing

Fig. 4 Closed intersection curve, where point P_0 is starting point for tracing

Fig. 5 Intersection of two cones, where point P_0 is starting point for tracing

Fig. 6 Intersection curve composed of two unconnected components, where P_i is starting points, $i=1,2$