Erratum to: Prospects and problems of simple linear models for estimating symbiotic N₂ fixation by crop and pasture legumes

M. J. Unkovich · J. Baldock · M. B. Peoples

Published online: 30 July 2011
© Springer Science+Business Media B.V. 2011

Erratum to: Plant Soil (2010) 329:75–89
DOI 10.1007/s11104-009-0136-5

Figure 3 depicted the correlation between shoot dry matter and N₂ fixed but the plotted Y axis data actually depicted total shoot N rather than amounts of shoot N fixed. The correct Figure is presented below, the figure caption remains the same.

Fig. 3 Correlation between legume shoot dry matter and the amount of N₂ fixed for crop and pasture legumes. There was no significant difference ($P < 0.001$) in the regressions for crops and pastures. For crops and pastures combined the regression is $0.01 + 17.1 \times$ (adjusted $R^2 = 0.66$ for $n = 530$ cases)

Responsible Editor: Euan K. James.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11104-009-0136-5>.

M. J. Unkovich (✉)
Soil and Land Systems Group, Earth and Environmental
Sciences, The University of Adelaide,
Waite Campus, PMB 1,
Glen Osmond, SA 5064, Australia
e-mail: murray.unkovich@adelaide.edu.au

J. Baldock
CSIRO Land and Water,
PMB 2,
Glen Osmond, SA 5064, Australia

M. B. Peoples
CSIRO Plant Industry,
GPO Box 1600, Canberra, ACT 2601, Australia