Editors' Note

T. Sakurai

Published online: 27 August 2014
© Springer Science+Business Media Dordrecht 2014

The authors of *Solar Phys.* **289**, 939, 2014 (doi:[10.1007/s11207-013-0356-y](https://doi.org/10.1007/s11207-013-0356-y)), Hiep, N.V., Nhung, P.T., Darriulat, P., Diep, P.N., Anh, P.T., Dong, P.N., Hoai, D.T., Thao, N.T., Radio Observation of Solar-Activity-Related mHz Oscillations have informed us that the oscillations described in Sections 3–5 of their article, simultaneously observed in Viet Nam and Australia with correlated periods and amplitudes of a few per mil, which they discussed as possibly of solar or ionospheric origin, are now understood to be the result of multipathing between the direct signal from the Sun and its specular reflection on ground. The detail of the analysis of a more extended data set from the same instruments (Ha Noi and Learmonth), and the explanation of the observed correlation, can be found in *Publ. Astron. Soc. Aust.* **31**, e029, 2014, Diep, P.N., Phuong, N.T., Darriulat, P., Nhung, P.T., Anh, P.T., Dong, P.N., Hoai, D.T., Thao, N.T., Correlated Oscillations Due to Similar Multipath Effects Seen in Two Widely Separated Radio Telescopes.

T. Sakurai (✉)

National Astronomical Observatory of Japan, 2-21-1 Ohsawa, Mitaka, Tokyo 181-8588, Japan
e-mail: sakurai@solar.mtk.nao.ac.jp