Introduction

Stephan Theil

Published online: 6 January 2010
© Springer Science+Business Media B.V. 2009

Today we are living in an era of challenging space missions. They will improve our knowledge and understanding of our planet, our solar system, our galaxy and the universe enormously. A very challenging class of missions is aiming at the understanding of the universe and its underlying fundamental principles of physics thus combining astronomy, astrophysics and fundamental physics. The list of missions in this class contains:

- The Hipparcos mission (H^Igh Precision PARallax COLlecting Satellite, launched in 1989) for measuring positions and proper motion of stars in our galaxy;
- The fundamental physics mission Gravity Probe B (launched on April 20, 2004) for testing special and general relativity, in particular the relativistic effects on spinning gyroscopes: the geodetic effect and the frame dragging (or Lense–Thirring) effect;
- The Satellite Test of the Equivalence Principle (STEP) and the MICROSCOPE mission to test the weak equivalence principle;
- The mission LISA (and its precursor LISA Pathfinder) to detect and observe gravitational waves;
- Gaia—an astronomy mission for measuring star positions and discovering extra-solar planets, asteroids and other galactic objects.

There are many more missions of this class planned and in preparation. But for all these missions the same conditions arise:

(a) They are scientifically and technically a new generation of scientific satellites because of an expected improvement of measurement accuracy by several orders of magnitude. Expressed in numbers: Hipparcos measured star positions with an accuracy level of sub-milli-arcseconds. Gaia will extend this to an accuracy of micro-arcseconds. STEP and MICROSCOPE will test the violation of the Equivalence Principle with an accuracy of up to

S. Theil (✉)
GNC Systems Department, German Aerospace Center, Institute of Space Systems, Robert Hooke Str. 7,
28359 Bremen, Germany
e-mail: Stephan.Theil@dlr.de

1 in 10^{18} which is 5 orders of magnitude more accurate than ground-based measurements. In order to detect and observe gravitational waves, LISA needs to measure the variation of the distance between two test masses 5 million kilometres apart with an accuracy of $12 \text{ pm/Hz}^{1/2}$.

(b) The dynamics of the satellite is very closely linked to the scientific measurement instrument. As it can be seen from the needed accuracies, the missions above are a technical challenge. But they also show that in terms of satellite design a paradigm shift has taken place, whereas in past missions the payload and the bus of a satellite were clearly separated and the interactions were clearly defined. Now the missions of the class defined above have such a close interaction between the experiment/payload and the supporting systems that a separate development will result in failure and an integrated approach of design and development must be followed.

(c) The processing of the measurements needs a long time. For example, in case of Gravity Probe B the measurements are taken for one year of mission lifetime. After that they are processed for another year to get the final scientific results. For Hipparcos the final result—the catalogue—was published only 4 years after the satellite was put out of operation. The same applies to Gaia where it will take several years after the end of the mission of 5 years to produce the final catalogue.

Keeping that in mind it becomes clear how challenging these missions are, and the questions arise:

- How can one make sure that the measurements that are taken today are not affected by undetectable errors which may disturb or even falsify the final result?
- How can we prove that spacecraft and instrument which have been developed for these missions will really provide the expected performance?

The solution to this problem is an *integrated view* on payload and bus for this type of missions. It is needed in the design and development phase of a mission where a detailed analysis has to be put in place in order to analyse the performance of the mission and its variation due to all internally and externally influencing factors. The integrated view is also needed in the operational phase where the first measurement data are rapidly processed in order to identify the system behaviour of the satellite and its parameters.

In both cases, the first analysis and simulation during development as well as the identification of the system in orbit can be called “First Look”. This “First Look” shall provide a thorough knowledge of the satellite, the instrument and its behaviour. It shall ensure an in-time monitoring of the scientific quality in order to be able—on the one hand—to make the proper design changes during design and development and—on the other hand—to react on malfunctions or parameter shifts in the operational system.

For the new generation of scientific satellites described above there is a need to develop capable and accurate “First Look” tools for analysing the performance, for the identification of the satellite parameters and the detection of small errors. This area of research is not entirely new since “First Look”—like processes have been applied to missions in the past. Nevertheless, EU-project “First Look” (MTKD-CT-2004-014188), which includes the development of a general approach, the implementation of lessons learned from various former missions and the networking between developers of past and future missions, is unique throughout Europe. Its research area is located in a niche between two different disciplines—scientific data reduction and satellite engineering—because the development of tools for “First Look” needs to take into account knowledge from both sides in order to reach the desired improvement in the orders of magnitude. Therefore there is a strong need for a close

collaboration and a transfer of knowledge between engineers designing the satellites and the scientists using them.

The workshop “Satellite Dynamics: Modelling, In-Orbit Calibration and Data Processing” held from May 21st to May 23rd 2008 in Bremen is one element of the EU-project “First Look”. It showed current developments and methodologies for monitoring scientific data quality, allowed discussions about approaches for scientific quality monitoring, processing techniques and lessons learned. With its about 20 presentations and many discussions it will definitely help to promote the idea of the “First Look” methods for the analysis and monitoring of the quality for scientific space missions.