Erratum to: Anisotropy and Stress Dependence of Permeability in the Barnett Shale

Athma R. Bhandari¹ · Peter B. Flemings² ·
Peter J. Polito¹ · Michael B. Cronin² · Steven L. Bryant³

Published online: 12 May 2015
© Springer Science+Business Media Dordrecht 2015

Erratum to: Transp Porous Med DOI 10.1007/s11242-015-0482-0

The following correction to be made to Table 2 in the original paper. The calcite content of sample 2 should be 12.9 % instead of 7.0 %.

Table 2 Summary of XRPD analyses

Sample	Minerals								
	Quartz (%)	Plagioclase (%)	Calcite (%)	Dolomite (%)	Pyrite (%)	Muscovite (%)	Illite plus illite–smectite (%)	Other (%)	Total (%)
2	32.3	2.4	12.9	5.4	2.5	3.8	39.8	0.8	99.9
6	43.1	2.9	5.4	22.7	2.0	5.7	17.1	1.1	100

Macaulay Scientific Consulting Limited analyzed our samples using standard XRPD methods

The online version of the original article can be found under doi:[10.1007/s11242-015-0482-0](https://doi.org/10.1007/s11242-015-0482-0).

✉ Athma R. Bhandari
athma.bhandari@beg.utexas.edu

¹ Bureau of Economic Geology, Jackson School of Geosciences, The University of Texas at Austin, Austin, TX, USA

² Jackson School of Geosciences, The University of Texas at Austin, Austin, TX, USA

³ Schulich School of Engineering, University of Calgary, Calgary, Canada