ERRATUM

Erratum to: A new strategy for MS/MS data acquisition applying multiple data dependent experiments on Orbitrap mass spectrometers in non-targeted metabolomic applications

Graham Mullard · J. William Allwood · Ralf J. M. Weber · Marie Brown ·
Paul Begley · Katherine A. Hollywood · Martin Jones · Richard D. Unwin ·
Paul N. Bishop · Garth J. S. Cooper · Warwick B. Dunn

Published online: 14 January 2015
© Springer Science+Business Media New York 2015

Erratum to: Metabolomics
DOI 10.1007/s11306-014-0763-6

In the original version of this paper, the second and third-listed authors are named James W. Allwood and Ralf Weber. Their names should appear as J. William Allwood and Ralf J. M. Weber.

The online version of the original article can be found under doi:[10.1007/s11306-014-0763-6](https://doi.org/10.1007/s11306-014-0763-6).

G. Mullard · M. Brown · P. Begley · K. A. Hollywood ·
R. D. Unwin · P. N. Bishop · G. J. S. Cooper · W. B. Dunn
Centre for Endocrinology and Diabetes, Institute of Human
Development, Faculty of Medical and Human Sciences, The
University of Manchester, Manchester M13 9WL, UK

G. Mullard · M. Brown · P. Begley · K. A. Hollywood ·
R. D. Unwin · P. N. Bishop · G. J. S. Cooper · W. B. Dunn
Centre for Advanced Discovery and Experimental Therapeutics
(CADET), Central Manchester University Hospitals NHS
Foundation Trust, Manchester Academic Health Sciences
Centre, Manchester M13 9WL, UK

J. William Allwood · R. J. M. Weber · M. Jones ·
W. B. Dunn (✉)
School of Biosciences, University of Birmingham, Edgbaston,
Birmingham B15 2TT, UK
e-mail: w.dunn@bham.ac.uk

P. N. Bishop
Centre for Hearing and Vision Research, Institute of Human
Development, Faculty of Medical and Human Sciences, The
University of Manchester, Manchester M13 9WL, UK

G. J. S. Cooper
Maurice Wilkins Centre for Molecular Biodiscovery, Faculty of
Science, University of Auckland, Auckland 1020, New Zealand

G. J. S. Cooper
Department of Pharmacology, University of Oxford, Mansfield
Road, Oxford OX1 3QT, UK