ERRATUM

Erratum to: A batch correction method for liquid chromatography–mass spectrometry data that does not depend on quality control samples

Martin Rusilowicz^{1,2} · Michael Dickinson³ · Adrian Charlton³ · Simon O’Keefe^{1,2} · Julie Wilson^{1,4}

Published online: 20 September 2016
© Springer Science+Business Media New York 2016

Erratum to: Metabolomics (2016) 12:56
DOI 10.1007/s11306-016-0972-2

The original version of this article unfortunately contains a mistake. The presentation of Fig. 2 was incorrect. The corrected Fig. 2 and its caption are given below.

The online version of the original article can be found under doi:[10.1007/s11306-016-0972-2](https://doi.org/10.1007/s11306-016-0972-2).

✉ Julie Wilson
julie.wilson@york.ac.uk

¹ York Centre for Complex Systems Analysis, University of York, York YO10 5GE, UK

² Department of Computer Science, University of York, York YO10 5DD, UK

³ Fera Science Ltd, York YO41 1LZ, UK

⁴ Departments of Mathematics and Chemistry, University of York, York YO10 5DD, UK

Fig. 2 Plots showing how two methods of correction affect a metabolite and batch showing strong within-batch drift. Plots **a** and **b** show the values prior to correction, with the trend used for the two different correction methods shown by the *bold line*. **c**, **d** show the values post-correction, with the *bold trend-line* at 1.0. The linear correction (c) shows a notable pattern in the results when compared with the moving median correction in **d**. *Diamonds* indicate observations, with QCs highlighted by *crosses*. The *line* indicates the correction factors forming the trend on which the corrections are based