ERRATUM

Erratum to: Myocardial Perfusion Imaging is Feasible for Infarct Size Quantification in Mice Using a Clinical Single-photon Emission Computed Tomography System Equipped with Pinhole Collimators

Tim Wollenweber,¹ Christian Zach,¹ Christoph Rischpler,² Rebekka Fischer,² Sebastian Nowak,¹ Stephan G. Nekolla,³ Michael Gröbner,² Christopher Übleis,¹ Gerald Assmann,⁴ Josef Müller-Höcker,⁴ Christian La Fougère,¹ Guido Böning,¹ Paul Cumming,¹ Wolfgang-Michael Franz,² Marcus Hacker^{1,5}

¹*Department of Nuclear Medicine, University of Munich, Munich, Germany*

²*Medical Department I, Klinikum Grosshadern, University of Munich, Munich, Germany*

³*Department of Nuclear Medicine, Technical University, Munich, Germany*

⁴*Institute of Pathology, University of Munich, Munich, Germany*

⁵*Klinik und Poliklinik für Nuklearmedizin der LMU, Marchioninistr. 15, 81377, Munich, Germany*

Josef Müller-Höcker was omitted from the author listing when this article was originally submitted. The author listing above includes Dr. Müller-Höcker and is now correct and complete.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11307-009-0281-5>.

Correspondence to: Marcus Hacker; e-mail: marcus.hacker@med.unimuenchen.de