Correction to: Heavy metal and nutrient uptake in plants colonizing post-flotation copper tailings

Dorota Kasowska¹ · Krzysztof Gediga² · Zofia Spiak²

Published online: 28 November 2017

© The Author(s) 2017. This article is an open access publication

Correction to: Environ Sci Pollut Res

<https://doi.org/10.1007/s11356-017-0451-y>

The correct presentation of Table 4 is shown in this paper.

The original article has been corrected.

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

The online version of the original article can be found at <https://doi.org/10.1007/s11356-017-0451-y>

✉ Dorota Kasowska
dorota.kasowska@upwr.edu.pl

Krzysztof Gediga
krzysztof.gediga@upwr.edu.pl

Zofia Spiak
zofia.spiak@upwr.edu.pl

¹ Department of Botany and Plant Ecology, Wrocław University of Environmental and Life Sciences, Grunwaldzki Square 24A, 50-363 Wrocław, Poland

² Department of Plant Nutrition, Wrocław University of Environmental and Life Sciences, Grunwaldzka Street 53, 50-357 Wrocław, Poland

Table 4 Element content (mg kg⁻¹) in plant shoots from the copper mine post-flotation tailings and a reference soil. The results are presented as values of $\pm$ means standard deviation (SD) and median, t test probability level (P) for comparison of means of both study sites, significant differences in bold text

Study site			<i>Agrostis stolonifera</i> L.	<i>Calamagrostis epigejos</i> (L.) Roth	<i>Cerastium arvense</i> L.	<i>Polygonum aviculare</i> L.	<i>Tussilago farfara</i> L.
Ca	Cu-tailings	Mean $\pm$ SD	6840 $\pm$ 150	7600 $\pm$ 2700	29000 $\pm$ 2800	19100 $\pm$ 1700	21000 $\pm$ 1900
		Median	7100	6150	28900	19400	20100
	reference soil	Mean $\pm$ SD	4030 $\pm$ 600	4100 $\pm$ 960	3800 $\pm$ 1200	6500 $\pm$ 1300	21500 $\pm$ 1900
Cd	Cu-tailings	Median	4000	4500	3888	7100	21600
		P	<0.02	>0.05	<0.0001	<0.0001	>0.05
	reference soil	Mean $\pm$ SD	0.36 $\pm$ 0.10	0.80 $\pm$ 0.10	0.72 $\pm$ 0.05	0.61 $\pm$ 0.13	0.28 $\pm$ 0.03
Co	Cu-tailings	Median	0.41	0.81	0.70	0.60	0.26
		P	>0.05	<0.001	>0.05	<0.02	>0.05
	reference soil	Mean $\pm$ SD	0.34 $\pm$ 0.06	0.30 $\pm$ 0.03	0.52 $\pm$ 0.66	0.33 $\pm$ 0.03	0.33 $\pm$ 0.03
Cu	Cu-tailings	Median	0.32	0.30	0.24	0.33	0.34
		P	>0.05	>0.05	<0.0001	<0.0001	>0.05
	reference soil	Mean $\pm$ SD	1.50 $\pm$ 0.30	1.19 $\pm$ 0.30	3.90 $\pm$ 0.50	2.70 $\pm$ 0.20	3.10 $\pm$ 0.20
Fe	Cu-tailings	Median	1.62	1.13	3.98	2.71	3.06
		P	>0.05	>0.05	<0.0001	<0.0001	>0.05
	reference soil	Mean $\pm$ SD	1.30 $\pm$ 0.20	0.97 $\pm$ 0.10	0.93 $\pm$ 0.10	1.40 $\pm$ 0.10	2.70 $\pm$ 0.10
K	Cu-tailings	Median	1.40	0.97	0.92	1.41	2.67
		P	>0.05	>0.05	<0.0001	<0.0001	>0.05
	reference soil	Mean $\pm$ SD	10.40 $\pm$ 1.40	6.00 $\pm$ 1.90	47.00 $\pm$ 8.50	37.80 $\pm$ 5.50	16.70 $\pm$ 4.80
Mg	Cu-tailings	Median	10.70	6.08	43.80	39.00	11.80
		P	<0.001	<0.04	<0.0001	<0.0001	<0.02
	reference soil	Mean $\pm$ SD	4.60 $\pm$ 1.30	2.70 $\pm$ 0.80	5.70 $\pm$ 1.10	3.80 $\pm$ 0.10	5.40 $\pm$ 1.70
Mn	Cu-tailings	Median	4.80	2.86	5.83	3.78	4.60
		P	<0.001	<0.04	<0.0001	<0.0001	<0.02
	reference soil	Mean $\pm$ SD	38.30 $\pm$ 5.30	30.67 $\pm$ 5.20	95.10 $\pm$ 25.40	68.10 $\pm$ 17.20	54.40 $\pm$ 13.50
Na	Cu-tailings	Median	40.00	31.00	82.00	69.00	47.00
		P	<0.002	<0.004	>0.05	<0.001	<0.04
	reference soil	Mean $\pm$ SD	103.10 $\pm$ 27.80	57.54 $\pm$ 8.80	125.90 $\pm$ 54.30	370.00 $\pm$ 94.00	92.90 $\pm$ 17.30
Pb	Cu-tailings	Median	114.00	53.30	114.00	407.00	102.00
		P	<0.002	<0.004	>0.05	<0.001	<0.04
	reference soil	Mean $\pm$ SD	16000 $\pm$ 140	12000 $\pm$ 1200	36800 $\pm$ 9900	18900 $\pm$ 2800	39600 $\pm$ 2400
Zn	Cu-tailings	Median	15600	12000	33100	18250	38900
		P	<0.02	>0.05	<0.02	<0.001	<0.002
	reference soil	Mean $\pm$ SD	25000 $\pm$ 640	15600 $\pm$ 2900	25100 $\pm$ 7000	7800 $\pm$ 1200	28100 $\pm$ 1000
Ag	Cu-tailings	Median	23400	15400	23375	98200	27900
		P	<0.02	>0.05	<0.02	<0.001	<0.002
	reference soil	Mean $\pm$ SD	1560 $\pm$ 40	1350 $\pm$ 170	7300 $\pm$ 1400	7800 $\pm$ 1500	5000 $\pm$ 1700
As	Cu-tailings	Median	1600	1400	6800	7550	5300
		P	>0.05	<0.009	<0.0001	<0.001	>0.05
	reference soil	Mean $\pm$ SD	1300 $\pm$ 30	830 $\pm$ 150	2400 $\pm$ 700	930 $\pm$ 60	2600 $\pm$ 900
Br	Cu-tailings	Median	1300	800	2510	900	2500
		P	>0.05	<0.009	<0.0001	<0.001	>0.05
	reference soil	Mean $\pm$ SD	47.40 $\pm$ 10.30	118.60 $\pm$ 34.90	126.60 $\pm$ 30.00	128.80 $\pm$ 24.60	22.20 $\pm$ 6.30
Cl	Cu-tailings	Median	52.00	136.00	129.00	117.00	21.00
		P	>0.05	<0.01	>0.05	<0.003	>0.05
	reference soil	Mean $\pm$ SD	55.70 $\pm$ 4.90	35.70 $\pm$ 13.70	84.30 $\pm$ 55.30	45.00 $\pm$ 11.60	41.60 $\pm$ 3.20
Cr	Cu-tailings	Median	57.00	35.00	55.00	39.00	42.00
		P	>0.05	<0.01	>0.05	<0.003	>0.05
	reference soil	Mean $\pm$ SD	23.40 $\pm$ 2.60	16.20 $\pm$ 2.50	58.90 $\pm$ 18.40	78.70 $\pm$ 18.10	42.90 $\pm$ 12.00
F	Cu-tailings	Median	22.80	15.70	55.00	82.00	39.00
		P	<0.00003	>0.05	<0.0001	<0.01	>0.05
	reference soil	Mean $\pm$ SD	4.90 $\pm$ 1.20	14.80 $\pm$ 1.70	21.30 $\pm$ 9.30	4.60 $\pm$ 0.10	38.90 $\pm$ 6.60
H	Cu-tailings	Median	5.30	15.40	22.00	4.65	39.00
		P	<0.00003	>0.05	<0.0001	<0.01	>0.05
	reference soil	Mean $\pm$ SD	4.97 $\pm$ 1.63	5.40 $\pm$ 0.80	5.05 $\pm$ 0.58	4.96 $\pm$ 1.07	3.02 $\pm$ 0.57
I	Cu-tailings	Median	4.28	5.30	4.90	4.77	3.40
		P	>0.05	<0.0009	<0.000005	<0.03	>0.05
	reference soil	Mean $\pm$ SD	3.41 $\pm$ 0.35	2.20 $\pm$ 0.20	0.63 $\pm$ 0.35	3.05 $\pm$ 0.09	3.05 $\pm$ 0.09
J	Cu-tailings	Median	3.30	2.20	0.60	3.09	4.10
		P	>0.05	<0.0009	<0.000005	<0.03	>0.05
	reference soil	Mean $\pm$ SD	1160 $\pm$ 30	950 $\pm$ 200	2200 $\pm$ 400	2200 $\pm$ 200	1830 $\pm$ 150
K	Cu-tailings	Median	1100	850	2100	2150	1800
		P	<0.004	<0.003	>0.05	>0.05	>0.05
	reference soil	Mean $\pm$ SD	3430 $\pm$ 110	2500 $\pm$ 300	2700 $\pm$ 1100	2200 $\pm$ 200	1830 $\pm$ 290
L	Cu-tailings	Median	3300	2500	2885	2300	2000
		P	<0.004	<0.003	>0.05	>0.05	>0.05
	reference soil	Mean $\pm$ SD	5.71 $\pm$ 1.54	11.60 $\pm$ 1.10	8.79 $\pm$ 2.40	8.12 $\pm$ 1.89	3.65 $\pm$ 0.39
M	Cu-tailings	Median	6.40	11.40	7.72	7.60	3.50
		P	>0.05	<0.0001	<0.001	<0.04	<0.002
	reference soil	Mean $\pm$ SD	4.18 $\pm$ 0.62	3.60 $\pm$ 0.30	3.46 $\pm$ 0.22	5.02 $\pm$ 0.08	6.35 $\pm$ 0.43
N	Cu-tailings	Median	3.85	3.55	3.44	5.00	6.40
		P	>0.05	<0.0001	<0.001	<0.04	<0.002
	reference soil	Mean $\pm$ SD	28.80 $\pm$ 8.30	17.10 $\pm$ 4.60	35.80 $\pm$ 8.70	39.40 $\pm$ 7.70	20.50 $\pm$ 3.50
O	Cu-tailings	Median	28.80	15.10	37.00	36.00	20.00
		P	>0.05	<0.0001	<0.001	<0.04	<0.002
	reference soil	Mean $\pm$ SD	25.70 $\pm$ 11.20	23.70 $\pm$ 9.80	61.40 $\pm$ 11.0	34.30 $\pm$ 2.20	31.80 $\pm$ 4.90
P	Cu-tailings	Median	21.70	23.10	59.00	33.00	29.00
		P	>0.05	>0.05	>0.05	>0.05	<0.03
	reference soil	Mean $\pm$ SD	25.70 $\pm$ 11.20	23.70 $\pm$ 9.80	61.40 $\pm$ 11.0	34.30 $\pm$ 2.20	31.80 $\pm$ 4.90