

Erratum to: Comparison of in vitro test systems using bacterial and mammalian cells for genotoxicity assessment within the health-related indication value (HRIV) concept

Eva-Maria Prantl^{1,2} · Meike Kramer¹ · Carsten K. Schmidt¹ · Martina Knauer³ · Stefan Gartiser³ · Aliaksandra Shuliakovich² · Julia Milas² · Hansruedi Glatt⁴ · Walter Meinel⁴ · Henner Hollert²

Published online: 27 January 2017
© Springer-Verlag Berlin Heidelberg 2017

Erratum to: Environ Sci Pollut Res
DOI 10.1007/s11356-016-8166-z

The names were interchanged in the original publication of this paper.

The original article was corrected.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11356-016-8166-z>

✉ Eva-Maria Prantl
eva-maria.prantl@gmx.de

- ¹ Water Laboratory, RheinEnergie AG, Parkgürtel 24, 50823 Köln, Germany
- ² Department of Ecosystem Analysis, Institute for Environmental Research, ABBt—Aachen Biology and Biotechnology, RWTH Aachen University, Worringerweg 1, 52074 Aachen, Germany
- ³ Hydrotox GmbH, Bötzingen Straße 29, 79111 Freiburg im Breisgau, Germany
- ⁴ Department of Nutritional Toxicology, German Institute of Human Nutrition (Dife) Potsdam-Rehbruecke, Arthur-Scheunert-Allee 114-116, 14558 Nuthetal, Germany