ERRATUM

Erratum to: Chemical quality of leachates and enzymatic activities in Technosols with *gossan* and sulfide wastes from the São Domingos mine

Erika S. Santos^{1,2} • Maria Manuela Abreu² • Felipe Macías³ • Amarilis de Varennes²

Published online: 30 December 2015
© Springer-Verlag Berlin Heidelberg 2015

Erratum to: J Soils Sediments
DOI 10.1007/s11368-015-1068-8

In the published version of this article, Table 3 was incorrect.
The following represents the correct Table 3:

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11368-015-1068-8>.

✉ Maria Manuela Abreu
manuelaabreu@isa.utl.pt

¹ Centro de Investigação em Ciências do Ambiente e Empresariais, Instituto Superior Dom Afonso III, Convento Espírito Santo, 8100-641 Loulé, Portugal

² Instituto Superior de Agronomia, Universidade de Lisboa, Tapada da Ajuda, 1349-017 Lisboa, Portugal

³ Departamento de Edafología y Química Agrícola, Facultad de Biología, Universidad de Santiago de Compostela, Campus Universitario Sur, 15782 Santiago de Compostela, Spain

Table 3 Concentrations of anions in leachates from Technosols and *gossan* wastes – assay 1 (Mean±SD; $n=3$) collected at time zero (0) and after 3 (1°) and 9 (2°) months of incubation

Anion	Sampling	Assay 1						
		GW	GA12	GA30	GC12	GC30	GAC12	GAC30
As (μg/L)	0	0.7±0.1 ^{bcd}	1.3±0.7 ^{bc}	0.7±0.6 ^{bcd}	1.2±0.2 ^{bc}	1.4±0.1 ^b	<0.3 ^{cd}	7.6±0.2 ^a
	1°	8.9±5.7 ^{ab}	5.7±3.6 ^b	17.1±6.0 ^a	14.9±0.4 ^a	12.1±5.2 ^a	8.1±3.3 ^{ab}	6.9±5.6 ^{ab}
	2°	9.3±1.7 ^b	21.0±9.3 ^b	20.9±9.3 ^b	25.0±7.2 ^b	76.6±8.9 ^a	11.0±3.8 ^b	51.8±24.5 ^a
Cl ⁻ (mg/L)	0	44.4±6.4 ^c	120.0±13.2 ^b	196.1±38.2 ^a	95.2±29.9 ^b	230.7±20.1 ^a	79.2±18.4 ^b	110.6±4.4 ^b
	1°	39.1±8.6 ^{bc}	56.0±6.5 ^{bc}	108.3±40.6 ^a	35.1±3.5 ^c	75.9±18.1 ^{ab}	47.3±20.9 ^{bc}	66.7±21.9 ^{bc}
	2°	20.0±10.4 ^b	54.0±2.5 ^a	77.5±22.9 ^a	44.1±2.4 ^a	50.9±12.0 ^a	48.3±25.8 ^a	64.7±14.2 ^a
NO ₃ (mg/L)	0	12.3±2.0 ^c	101.7±25.8 ^b	88.2±25.3 ^b	56.4±12.3 ^b	303.5±92.2 ^a	74.3±17.0 ^b	70.7±20.2 ^b
	1°	10.7±3.3 ^{bc}	21.0±12.6 ^{abc}	25.4±10.8 ^{ab}	16.0±3.1 ^{abc}	32.4±3.3 ^a	7.0±1.5 ^c	33.0±18.1 ^a
	2°	45.3±10.8 ^a	11.0±10.8 ^b	8.7±1.9 ^b	13.3±6.1 ^b	6.3±1.6 ^b	10.5±7.2 ^b	10.1±1.7 ^b
PO ₄ (mg/L)	0	4.3±0.8 ^a	4.2±0.1 ^a	4.1±0.1 ^a	4.2±0.1 ^a	4.7±1.0 ^a	0.1±0.04 ^b	0.03±0.03 ^b
	1°	0.4±0.3 ^{bc}	0.6±0.5 ^{bc}	1.3±0.8 ^{ab}	1.0±0.3 ^{bc}	2.1±0.9 ^a	0.1±0.05 ^c	0.9±0.5 ^{bc}
	2°	0.1±0.1 ^c	0.8±0.1 ^a	0.3±0.3 ^c	1.3±0.4 ^a	0.9±0.3 ^a	0.6±0.2 ^{ab}	0.4±0.1 ^{bc}
SO ₄ (mg/L)	0	171.4±24.9 ^{cd}	654.9±268.8 ^{ab}	582.9±156.5 ^b	395.3±34.7 ^{cd}	875.0±103.1 ^a	347.6±40.9 ^{cd}	531.3±100.2 ^{bc}
	1°	127.5±21.0 ^b	271.8±75.7 ^a	274.5±73.1 ^a	102.7±21.4 ^b	209.1±99.8 ^{ab}	116.4±28.6 ^b	285.5±81.9 ^a
	2°	139.0±17.7 ^c	247.0±43.9 ^a	193.9±21.3 ^{abc}	162.9±8.6 ^{bc}	151.5±38.3 ^{bc}	194.1±73.5 ^{abc}	224.0±48.7 ^{ab}

Different letters in data from the same row indicate significant differences ($p<0.05$)

GW: *gossan* wastes (control); GA12 and GA30: Technosol containing GW and AgW + AW + RW at 12 and 30 g/kg; GC12 and GC30: Technosol containing GW and AgW + CW + RW at 12 and 30 g/kg; GAC12 and GAC30: Technosol containing GW and AgW + AW + CW + RW at 12 and 30 g/kg. AgW: agriculture wastes; AW: residue from the liquor distillation of *A. unedo* fruit; CW: residue from liquor distillation of *C. siliqua* fruit; RW: rockwool used for strawberry crops