Preface

Last year, the Editorial Board decided to make some change on this journal. As a part of this change, six areas are selected as highlight topics in each issue yearly around. We do hope this change will help readers to choose papers easily. One of the six areas is “Artificial Intelligence and Pattern Recognition”. From my personal view, this is still too broad to highlight. As a trade-off, we have to focus on a narrow area. We select four papers on the topic of object recognition from 10 submissions. I do not think I can provide more information rather than these papers, and I also do not believe the readers need a guide to read these papers. For these reasons, I only briefly summarize the papers below.

In the past decades, object recognition is an important topic in computer vision. Deep learning seems bringing a big step on this topic, but it still needs deeper thought. The paper “VFM: Visual Feedback Model for Robust Object Recognition” by Wang and Huang builds a model which aims to simulate the mechanism of “what” and “where” pathways in human visual systems. This model’s experimental results show its advantages on PASCAL VOC 2007 dataset.

Although we are in a 3D world, most of the object recognitions are conducted on 2D images. In the paper “RGB-D Hand-Held Object Recognition Based on Heterogeneous Feature Fusion”, Lv *et al.* propose a method to recognize 3D handheld objects. With the rapid growing of robot, this work shows big potential on human-robot interaction.

As a kind of man-made object, text plays a special role in scene understanding. Although typical OCR can work well on scanned images, it still suffers from the problem of detecting and segmenting text from TV overlay or nature scene. The paper “Robust Video Text Detection with Morphological Filtering Enhanced MSER” by Zhuge and Lu presents a method for text detection. The proposed method works well on TV captions.

Trajectories are very important for activity analysis. However, most of the tracking methods cannot track well in long time span. To overcome this problem, the paper “Raw Trajectory Rectification via Scene-Free Splitting and Stitching” by Guo *et al.* proposes a method to concatenate short tracks by maximum bipartite graph matching. The stitched trajectories can be used for various action analyses.

I always believe that a journal should serve both authors and readers. In this special section, we try to gather the relevant papers to improve accessibility. I hope that readers will be happy with this special section as they can receive more relevant information within one issue. The authors can also benefit from this as their papers can attract more readers. Comments and suggestions are welcome to help us improve the special section.

Leading Editor:

Xi-Lin Chen, Professor, Institute of Computing Technology, Chinese Academy of Sciences, Beijing
xlchen@ict.ac.cn

Xi-Lin Chen received his B.S., M.S., and Ph.D. degrees in computer science from the Harbin Institute of Technology, Harbin, in 1988, 1991, and 1994, respectively. He has been a professor with the Institute of Computing Technology, Chinese Academy of Sciences (CAS), since 2004. His research interests are image understanding, computer vision, pattern recognition, image processing, multimodal interface, and digital video broadcasting. He has published one book and more than 200 papers. He is a fellow of the China Computer Federation (CCF).