Erratum to: Nuclear imaging of molecular processes in cancer

Rafael Torres Martin de Rosales • Erik Årstad •
Philip J. Blower

Published online: 20 October 2009
© Springer-Verlag 2009

Erratum to: Targ Oncol DOI 10.1007/s11523-009-0120-2

An error occurred in publication of Fig. 3 in the article “Nuclear Imaging of Molecular Processes in Cancer” by R. Torres Martin de Rosales et al. The correct figure and legend follow.

Fig. 3 Structures of imaging agents used to measure hypoxia in tumours; Right: hypoxia in head and neck cancer, visualised with combined PET/CT imaging after administration of ^{64}Cu ATSM, transaxial view

Cu-ATSM

[^{18}F]FMISO

$^{99\text{m}}\text{Tc}$ -HL91

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11523-009-0120-2>.

R. Torres Martin de Rosales • P. J. Blower (✉)
King's College London, Division of Imaging Sciences,
Rayne Institute, St Thomas' Hospital,
4th Floor Lambeth Wing,
London SE1 7EH, UK
e-mail: Philip.Blower@kcl.ac.uk

E. Årstad
Institute of Nuclear Medicine, University College London,
235 Euston Road,
London NW1 2BU, UK