The ultrasonographic correlates of carpal tunnel syndrome in patients with normal electrodiagnostic tests

Correlazioni ecografiche nella sindrome del tunnel carpale nei pazienti con test elettrodiagnostici negativi

**M. Rahmani¹ • A.R. Ghasemi Esfe¹ • S.M. Vaziri-Bozorg¹ • M. Mazloumi¹ • O. Khalilzadeh¹
H. Kahnouji²**

¹Advanced Diagnostic and Interventional Radiology Research Center (ADIR), Imaging Medical Center, Imam Hospital, Tehran University of Medical Sciences, Tehran 14155-7146, Iran

²Department of Neurology, Imam Hospital, Tehran University of Medical Sciences, P.O. Box 13145-784, Tehran, Iran
Correspondence to: A.R. Ghasemi Esfe, Tel.: +98-216-1192670, Fax: +98-216-6910201, e-mail: areza.ghasemi@gmail.com

© Springer-Verlag 2011

**Erratum to: La radiol med (2011) 116:489–496
DOI 10.1007/s11547-011-0632-6**

The original version of this article, unfortunately, contained a mistake. The name of the third author should have been S.M. Vaziri-Bozorg instead of S.M. Bozorg.

The online version of the original article can be found at
<http://dx.doi.org/10.1007/s11547-011-0632-6>.

Published online: 4 February 2011