ERRATUM

Spiritual Well-Being and Depression in Patients with Heart Failure

David B. Bekelman, MD¹, Sydney M. Dy, MD², Diane M. Becker, ScD³, Ilan S. Wittstein, MD⁴,
Danetta E. Hendricks, MA², Traci E. Yamashita, MS¹, and Sheldon H. Gottlieb, MD⁵

¹Department of Medicine, Division of General Internal Medicine, University of Colorado at Denver and Health Sciences Center, 4200 East Ninth Avenue, B180, Denver, CO 80262, USA; ²Department of Health Policy & Management, Bloomberg School of Public Health, Johns Hopkins University, Baltimore, MD, USA; ³Division of Internal Medicine, The Johns Hopkins University School of Medicine, Baltimore, MD, USA; ⁴Johns Hopkins Hospital, Baltimore, MD, USA; ⁵Johns Hopkins Bayview Medical Center, Baltimore, MD, USA.

DOI: 10.1007/s11606-007-0174-8

© 2007 Society of General Internal Medicine 2007;22:1066

In the article "Spiritual Well-Being and Depression in Patients with Heart Failure" [J Gen Intern Med 2007; 22: 470–477 (DOI: [10.1007/s11606-006-0044-9](https://doi.org/10.1007/s11606-006-0044-9))], the authors report the following errors:

In Table 1, the median and interquartile range for "Number of physical symptoms (from MSAS-SF)" should have been "8 [4, 12]," rather than "3 [2, 6]."

In the third paragraph of the Results section, the second sentence should have read "Greater total spiritual well-being ($r_s = -.55$, $P < .001$), social support ($r_s = -.41$, $P < .01$), health status ($r_s = -.56$, $P < .001$), and fewer physical symptoms ($r_s = .51$, $P < .001$) were significantly associated with less depression," rather than "fewer physical symptoms ($r_s = .41$, $P < .01$)," as printed.