Erratum to: The effect of implantation on scaffoldless three-dimensional engineered bone constructs

Michael J. Smietana · Fatima N. Syed-Picard ·
Jinjin Ma · Tatiana Kostrominova · Ellen M. Arruda ·
Lisa M. Larkin

Published online: 23 October 2009
© The Society for In Vitro Biology 2009

Erratum to: In Vitro Cell.Dev.Biol.—Animal
DOI 10.1007/s11626-009-9216-3

This article, which was published in Volume 45, Number 9, October 2009, pp. 512–522, has the following correction: On page 514, right-hand column, 2nd paragraph, 9th line, change “2 µg/ml” to “2 ng/ml”.

The online version of the original article can be found under <http://dx.doi.org/10.1007/s11626-009-9216-3>.

M. J. Smietana · L. M. Larkin
Biomedical Engineering, University of Michigan,
2025 BSRB, 109 Zina Pitcher Place,
Ann Arbor, MI 48109-2200, USA

F. N. Syed-Picard
Materials Science and Engineering, University of Michigan,
2025 BSRB, 109 Zina Pitcher Place,
Ann Arbor, MI 48109-2200, USA

T. Kostrominova · L. M. Larkin (✉)
Molecular and Integrative Physiology, Biomedical Engineering,
University of Michigan,
Biomedical Science Research Building (BSRB),
109 Zina Pitcher Place, Room #2025,
Ann Harbor, MI 48109-2200, USA
e-mail: llarkin@umich.edu

J. Ma · E. M. Arruda
Mechanical Engineering, University of Michigan,
2250 GG Brown, 2350 Hayward,
Ann Arbor, MI 48109, USA

E. M. Arruda
Program in Macromolecular Science and Engineering,
University of Michigan,
2250 GG Brown, 2350 Hayward,
Ann Arbor, MI 48109, USA

T. Kostrominova
Department of Anatomy and Cell Biology,
Indiana University School of Medicine-Northwest,
Gary, IN 46409-1008, USA