Erratum to: Predicting One and Three Month Postoperative Somatic Concerns, Psychological Distress, and Maladaptive Eating Behaviors in Bariatric Surgery Candidates with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF)

**Ryan J. Marek • Yossef S. Ben-Porath • Julie Merrell •
Kathleen Ashton • Leslie J. Heinberg**

Published online: 11 February 2014
© Springer Science+Business Media New York 2014

Erratum to: OBES SURG
DOI 10.1007/s11695-013-1149-y

A column in Table 3 of the published article had an incorrect column heading. The sixth column from the left (fifth from the right) should be labeled “Psychological distress month 3”. Please see the corrected Table 3.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11695-013-1149-y>.

R. J. Marek (✉) • Y. S. Ben-Porath
Department of Psychology, Kent State University, Kent, OH 44242,
USA
e-mail: rmarek1@kent.edu

J. Merrell • K. Ashton • L. J. Heinberg
Cleveland Clinic Lerner College of Medicine, 9500 Euclid Avenue/
M61, Cleveland, OH 44195, USA

Table 3 Correlations between the MMPI-2-RF Substantive Scales with the latent postoperative constructs

MMPI-2-RF Substantive Scales	Somatic concerns month 1	Somatic concerns month 3	z-test	Psychological distress month 1	Psychological distress month 3	z-test	Maladaptive eating behaviors month 1	Maladaptive eating behaviors month 3	z-test
<i>Higher-Order Scales</i>									
Emotional/Internalizing Dysfunction (EID)	0.05	0.19	2.06*	<u>0.31**</u>	<u>0.42**</u>	1.84	−0.06	<u>0.27**</u>	4.88**
Thought Dysfunction (THD)	0.07	0.00	1.02	0.04	<u>0.17*</u>	1.91	0.08	<u>0.30**</u>	3.32**
Behavioral/Externalizing Dysfunction (BXD)	−0.01	0.03	0.58	0.09	0.07	0.29	0.13*	<u>0.36**</u>	3.56**
<i>Restructured Clinical (RC) Scales</i>									
Demoralization (RCd)	0.07	<u>0.21*</u>	2.07*	<u>0.34**</u>	<u>0.43**</u>	1.53	−0.06	<u>0.25**</u>	4.57**
Somatic Complaints (RC1)	<u>0.27**</u>	<u>0.30**</u>	0.47	0.11	<u>0.19**</u>	1.19	−0.07	0.05	1.74
Low Positive Emotions (RC2)	0.02	0.07	0.73	0.18**	<u>0.22**</u>	0.60	−0.08	<u>0.24**</u>	4.71**
Cynicism (RC3)	0.05	0.08	0.44	0.01	0.12	1.60	0.06	0.08	0.29
Antisocial Behaviors (RC4)	0.06	0.10	0.58	0.19**	<u>0.17*</u>	0.30	0.16	<u>0.37**</u>	3.29**
Ideas of Persecution (RC6)	0.11	0.12	0.15	0.10	<u>0.19*</u>	1.33	0.04	<u>0.41**</u>	5.73**
Dysfunctional Negative Emotions (RC7)	0.07	0.19*	1.77*	<u>0.29**</u>	<u>0.39**</u>	1.64	0.05	<u>0.30**</u>	3.76**
Aberrant Experiences (RC8)	0.09	0.04	0.73	0.08	<u>0.19**</u>	1.62	0.05	−0.01	0.87
Hypomanic Activation (RC9)	0.03	0.05	0.29	0.07	<u>0.16*</u>	1.32	0.17*	0.13	0.59
<i>Somatic Complaints Specific Problems Scales</i>									
Malaise (MLS)	0.15**	0.10	0.74	<u>0.25**</u>	<u>0.33**</u>	1.27	−0.07	<u>0.31**</u>	5.66**
Gastrointestinal Complaints (GIC)	0.13*	0.12	0.15	0.03	<u>0.34**</u>	4.69**	−0.03	<u>0.37**</u>	6.06**
Head Pain Complaints (HPC)	<u>0.23**</u>	<u>0.27**</u>	0.62	0.15*	<u>0.25**</u>	1.51	−0.09	0.10	2.76**
Neurological Complaints (NUC)	<u>0.22**</u>	<u>0.20*</u>	0.30	0.07	0.10	0.44	0.05	0.07	0.29
Cognitive Complaints (COG)	0.13*	0.10	0.44	0.19**	<u>0.35**</u>	2.51*	−0.02	<u>0.33**</u>	5.25**
<i>Internalizing Specific Problems Scales</i>									
Suicidal/Death Ideation (SUI)	−0.02	<u>−0.35**</u>	5.00**	0.17**	0.00	2.49*	0.07	0.16	1.32
Helplessness/Hopelessness (HLP)	0.04	−0.03	1.01	15**	0.13	0.30	−0.06	0.14	2.91**
Self-Doubt (SFD)	0.00	0.10	1.45	<u>0.31**</u>	<u>0.34**</u>	0.49	−0.05	<u>0.22*</u>	3.96**
Inefficacy (NFC)	0.10	0.10	0.00	<u>0.26**</u>	<u>0.30**</u>	0.63	0.00	0.14	2.04*
Stress/Worry (STW)	0.09	<u>0.28*</u>	2.86**	<u>0.32**</u>	<u>0.34**</u>	0.33	−0.05	<u>0.27*</u>	4.73**
Anxiety (AXY)	0.19*	<u>0.27**</u>	1.22	<u>0.30**</u>	<u>0.39**</u>	1.48	0.05	<u>0.48**</u>	6.85**
Anger Proneness (ANP)	0.05	0.17	1.76	0.16**	<u>0.25**</u>	1.36	−0.00	0.18	2.64**
Behavior-Restricting Fears (BRF)	0.14**	0.18*	0.59	0.14*	<u>0.16*</u>	0.30	−0.02	0.14	2.33*
Multiple Specific Fears (MSF)	0.18**	0.04	2.06**	0.03	0.04	0.14	−0.02	0.07	1.31
<i>Externalizing Specific Problems Scales</i>									
Juvenile Conduct Problems (JCP)	0.01	0.08	10.02	0.10	0.05	0.73	0.07	<u>0.32*</u>	3.79**
Substance Abuse (SUB)	−0.07	0.11	20.61	0.10	−0.02	1.74	0.13	<u>0.23</u>	1.50
Aggression (AGG)	−0.01	0.03	0.58	0.13*	<u>0.17*</u>	0.59	0.13*	0.13	0.00
Activation (ACT)	0.05	0.01	0.58	0.16**	<u>0.25**</u>	1.36	0.12	0.02	1.46
<i>Interpersonal Specific Problems Scales</i>									
Family Problems (FML)	0.06	0.17	1.62	<u>0.20**</u>	<u>0.32**</u>	1.87	0.03	0.16	1.90
Interpersonal Passivity (IPP)	0.04	0.00	0.58	0.11	−0.05	2.32*	−0.06	0.06	1.74
Social Avoidance (SAV)	0.01	0.02	0.14	0.18**	<u>0.26**</u>	1.22	−0.10	0.12	3.20**
Shyness (SHY)	−0.08	0.12	2.91**	0.12	<u>0.24**</u>	1.80	−0.05	0.03	1.16
Disaffiliativeness (DSF)	−0.00	−0.02	0.29	0.08	0.06	0.29	−0.02	0.03	0.72
<i>Interest Scales</i>									
Aesthetic-Literary Interests (AES)	0.07	0.07	0.00	0.04	0.14	1.46	<u>0.21**</u>	0.05	2.36*
Mechanical-Physical Interests (MEC)	−0.09	−0.12	0.44	0.11	−0.17*	4.09**	<u>0.12*</u>	−0.03	2.18*
<i>Personality Psychopathology Five (PSY-5) Scales</i>									
Aggressiveness-revised (AGGR-r)	−0.07	0.03	1.45	−0.14*	−0.02	1.75	0.13	−0.01	2.04*
Psychoticism-revised (PSYC-r)	0.06	−0.02	1.16	0.09	0.19**	1.48	0.06	<u>0.28**</u>	3.30**

Table 3 (continued)

MMPI-2-RF Substantive Scales	Somatic concerns month 1	Somatic concerns month 3	z-test	Psychological distress month 1	Psychological distress month 3	z-test	Maladaptive eating behaviors month 1	Maladaptive eating behaviors month 3	z-test
Disconstraint-revised (DISC-r)	−0.05	−0.08	0.44	0.07	−0.03	1.45	0.15**	0.27	1.82
Negative Emotionality/Neuroticism-revised (NEGE-r)	0.09	<u>0.22*</u>	1.93	<u>0.32**</u>	<u>0.40**</u>	1.33	−0.04	<u>0.31**</u>	5.22**
Introversion/low Positive Emotionality- revised (INTR-r)	0.00	0.02	0.29	0.08	0.16*	1.18	−0.12	0.16	4.08**

MMPI-2-RF Minnesota Multiphasic Personality Inventory-2 Restructured Form

* $p < 0.05$, ** $p < 0.01$; $r \geq 0.20$ (underlined); significant z test (bold)