Erratum to: Buttressing the Staple Line: A Randomized Comparison Between Staple-Line Reinforcement Versus No Reinforcement During Sleeve Gastrectomy

**Shashank S. Shah · Jayashree S. Todkar ·
Poonam S. Shah**

Published online: 7 October 2014
© Springer Science+Business Media New York 2014

**Erratum to: OBES SURG
DOI 10.1007/s11695-014-1374-z**

Paragraph 6 of the Discussion states: “A further limitation to the present study is that it was conducted at a single center, with a single surgical team, and therefore the sample size is small”.

This should instead state: “A further limitation to the present study is that it was conducted at two centers; however, with a single surgical team, and therefore the sample size is small”.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11695-014-1374-z>.

S. S. Shah
Department of Laparoscopic and Bariatric Surgery, Dr. L. H.
Hiranandani Hospital, Mumbai, India

S. S. Shah · J. S. Todkar · P. S. Shah
Ruby Hall Clinic, Laparo-Obeso Centre, 40, Sassoon Road,
Pune 411001, India

J. S. Todkar
e-mail: jayatodkar@hotmail.com

P. S. Shah
e-mail: drpoonamshah@rediffmail.com

S. S. Shah (✉) · J. S. Todkar · P. S. Shah
Poona Hospital, 27, Sadashiv Peth, Pune 411001, India
e-mail: drshashankshah@rediffmail.com