Erratum to: Intranasal Nicotine Increases Postoperative Nausea and is Ineffective in Reducing Pain Following Laparoscopic Bariatric Surgery in Tobacco-Naïve Females: A Randomized, Double Blind Trial

Toby N. Weingarten¹ · Brian P. McGlinch¹ · Lavonne Liedl^{1,2} · Michael L. Kendrick³ · Todd A. Kellogg³ · Darrell R. Schroeder⁴ · Juraj Sprung¹

Published online: 3 July 2015
© Springer Science+Business Media New York 2015

Erratum to: OBES SURG (2015) 25:506–513
DOI 10.1007/s11695-014-1431-7

The title headings in Figure 1 Consort diagram study of participants—“PLACEBO NASAL SPRAY” and “NICOTINE NASAL SPRAY”—were mistakenly switched in the published diagram. Further, an additional patient in the NICOTINE NASAL SPRAY group was withdrawn because surgery was rescheduled. The diagram below shows the corrected information.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11695-014-1431-7>.

✉ Toby N. Weingarten
Weingarten.Toby@mayo.edu

✉ Juraj Sprung
sprung.juraj@mayo.edu

Brian P. McGlinch
mcglinch.brian@mayo.edu

Lavonne Liedl
liedl.lavonne@mayo.edu

Michael L. Kendrick
kendrick.michael@mayo.edu

Todd A. Kellogg
kellogg.todd@mayo.edu

Darrell R. Schroeder
schroedd@mayo.edu

¹ Mayo Clinic Department of Anesthesiology, Mayo Clinic College of Medicine, 200 First Street SW, Rochester, MN 55905, USA

² Mayo Clinic Anesthesia Clinical Research Unit, Mayo Clinic Department of Anesthesiology, Mayo Clinic College of Medicine, 200 First Street SW, Rochester, MN 55905, USA

³ Mayo Clinic Department of Surgery, Mayo Clinic College of Medicine, 200 First Street SW, Rochester, MN 55905, USA

⁴ Mayo Clinic Department of Biomedical Statistics and Informatics, Mayo Clinic College of Medicine, 200 First Street SW, Rochester, MN 55905, USA