Erratum: Evaluation of Status of Cadmium, Lead, and Nickel Levels in Biological Samples of Normal and Night Blindness Children of Age Groups 3–7 and 8–12 Years

Hassan Imran Afridi · Tasneem Gul Kazi · Naveed Kazi · Sirajuddin · Ghulam Abbas Kandhro · Jameel Ahmed Baig · Abdul Qadir Shah · Sham Kumar Wadhwa · Sumaira Khan · Nida Fatima Kolachi · Faheem Shah · Mohammad Khan Jamali · Mohammad Balal Arain

Published online: 17 December 2010
© Springer Science+Business Media, LLC 2010

Erratum to: Biol Trace Elem Res
DOI 10.1007/s12011-010-8796-9

The original version of this article unfortunately contained mistakes.

In table 2, the units of white blood cell count and platelet count should be K/mm^3 , while M/mm^3 for red blood cell count.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s12011-010-8796-9>.

H. I. Afridi · T. G. Kazi · Sirajuddin · G. A. Kandhro · J. A. Baig · A. Q. Shah · S. K. Wadhwa · S. Khan · N. F. Kolachi · F. Shah · M. K. Jamali · M. B. Arain
National Center of Excellence in Analytical Chemistry, University of Sindh, Jamshoro 76080, Pakistan

T. G. Kazi
e-mail: tgkazi@yahoo.com

J. A. Baig
e-mail: jab_mughal@yahoo.com

F. Shah
e-mail: shah_ceac@yahoo.com

M. K. Jamali
e-mail: mkhanjamali@yahoo.com

M. B. Arain
e-mail: bilal_ku2004@yahoo.com

H. I. Afridi (✉)
Mechanical and Manufacturing Engineering, Dublin City University, Dublin, Ireland
e-mail: hassanimranafridi@yahoo.com

N. Kazi
Liaquat University of Medical and Health Sciences, Jamshoro 76080, Pakistan
e-mail: tgkazi@yahoo.com