

Erratum to: Liver Stem/Progenitor Cells in the Canals of Hering: Cellular Origin of Hepatocellular Carcinoma with Bile Duct Tumor Thrombi?

Ningfu Peng · Lequn Li · Xiang Cai · Shaozao Tan ·
Ting Wu

Published online: 13 April 2011
© Springer Science+Business Media, LLC 2011

Erratum to: Stem Cell Reviews and Reports DOI 10.1007/s12015-010-9188-4

Figure 1 was sourced from another publication and was inappropriately cited. The correct caption should now read as:

Fig. 1 Location of hepatic progenitor cells (HPCs) niche within the liver. Progenitor cells are located in the canals of Hering (CoH) which represent the connection between bile canaliculi and bile duct systems [Adopted from Gaudio et al. [8]. Original figure was published in Digestive and Liver Disease with permission license numbers 2603410414940 and 2603420337062]

The online version of the original article can be found at <http://dx.doi.org/10.1007/s12015-010-9188-4>.

N. Peng
Department of Hepatobiliary Surgery,
the First Affiliated Hospital of Guangxi Medical University,
6 Shuang-yong Road,
Nanning, Guangxi Province 530021, China

L. Li (✉)
Department of Hepatobiliary Surgery,
The Affiliated Tumor Hospital of Guangxi Medical University,
6 Shuang-yong Road,
Nanning, Guangxi Province 530021, China
e-mail: Lilq2010@163.com

X. Cai · S. Tan · T. Wu
College of Life Science and Technology, Jinan University,
Guangzhou, Guangdong Province, China