


Erratum to: KI-67 heterogeneity in well differentiated gastro-entero-pancreatic neuroendocrine tumors: when is biopsy reliable for grade assessment?

Federica Grillo ^{1,2} · Luca Valle¹ · Diego Ferone^{2,3} · Manuela Albertelli^{2,3} · Maria Pia Brisigotti¹ · Giuseppe Cittadini⁴ · Alessandro Vanoli⁵ · Roberto Fiocca^{1,2} · Luca Mastracci^{1,2}

Published online: 19 August 2017
© Springer Science+Business Media, LLC 2017

Erratum to: Endocrine (2017)
DOI: 10.1007/s12020-017-1364-8

The original version of this article unfortunately contained a mistake. The first and surname of all the authors are

interchanged in the original publication. This has been corrected with this erratum.

The original article has been corrected.

Federica Grillo and Luca Valle contributed equally to this work.

The online version of the original article can be found at doi:[10.1007/s12020-017-1364-8](https://doi.org/10.1007/s12020-017-1364-8).

✉ Federica Grillo
federica.grillo@unige.it

- ¹ Pathology Unit, Department of Surgical Science and Integrated Diagnostics (DISC), University of Genoa, Largo Rosanna Benzi, 10, Genoa 16132, Italy
- ² Ospedale Policlinico San Martino, Largo Rosanna Benzi, 10, Genoa 16132, Italy
- ³ Endocrinology, Department of Internal Medicine and Medical Specialties (DIMI), University of Genoa, Largo Rosanna Benzi, 10, Genoa 16132, Italy
- ⁴ Department of Radiology, Ospedale Policlinico San Martino, Largo Rosanna Benzi, 10, Genoa 16132, Italy
- ⁵ Unit of Pathology, Department of Molecular Medicine, University of Pavia, Via Forlanini 14, Pavia 27100, Italy