Erratum to: Slug signaling is up-regulated by CCL21/CCR7 to induce EMT in human chondrosarcoma

Guosong Li · Yanjun Yang · Siliang Xu ·
Lifeng Ma · Mingtang He · Ziqing Zhang

Published online: 6 February 2015
© Springer Science+Business Media New York 2015

Erratum to: Med Oncol (2015) 32:2
DOI 10.1007/s12032-014-0478-6

Unfortunately, the antibody (CCR7) name was presented incorrectly in the original publication of the article.

Because this CCR7 project was finished 2 years ago, the author confused CXCR7 with CCR7 in his writing, due to the similar nomenclature principle of CXCR family such as CXCR4.

“CXCR7” should be changed to “CCR7” throughout the article. And CCR7 antibody was obtained from Santa Cruz.

The online version of the original article can be found under
doi:[10.1007/s12032-014-0478-6](https://doi.org/10.1007/s12032-014-0478-6).

G. Li · Y. Yang · S. Xu · L. Ma · M. He · Z. Zhang (✉)
Department of Orthopedics, Longgang Orthopedics Hospital
of Shenzhen, 243# Yangmeigang, Longgang Street,
Longgang District, Shenzhen 518116, Guangdong, China
e-mail: zhangzqlonggang@163.com