Erratum to: Metabolic Rates, Growth Phase, and mRNA Levels Influence Cell-Specific Antibody Production Levels from In Vitro-Cultured Mammalian Cells at Sub-Physiological Temperatures

Rosalyn J. Marchant · Mohamed B. Al-Fageeh ·
Michele F. Underhill · Andrew J. Racher ·
C. Mark Smales

Published online: 16 April 2011
© Springer Science+Business Media, LLC 2011

Erratum to: Mol Biotechnol (2008) 39:69–77
DOI 10.1007/s12033-008-9032-0

In the original publication (volume 39, Issue 1, May 2008), there is an error in the legend for Fig. 6. The description of

the shading should read “Cells cultured at 37°C (*white shade*), 32°C (*black and white squares*), and 27°C (*black shade*).”

The online version of the original article can be found under doi:[10.1007/s12033-008-9032-0](https://doi.org/10.1007/s12033-008-9032-0).

R. J. Marchant · M. B. Al-Fageeh · M. F. Underhill ·
C. M. Smales (✉)
Protein Science Group, Department of Biosciences, University
of Kent, Canterbury, Kent CT2 7NJ, UK
e-mail: c.m.smales@kent.ac.uk

A. J. Racher
Lonza Biologics plc, 228 Bath Road, Slough SL1 4DX, UK