Erratum to: Unsynchronized Nasal Intermittent Positive Pressure Ventilation to Prevent Extubation Failure in Neonates: A Randomized Controlled Trial

**Mala Kumar · Shalini Avasthi · Shruti Ahuja ·
G. K. Malik · S. N. Singh**

Published online: 22 September 2011
© Dr. K C Chaudhuri Foundation 2011

**Erratum to: Indian J Pediatr (2011) 78:801–806
DOI 10.1007/s12098-010-0357-x**

The original version of this article unfortunately contained a mistake.

Under Material and Methods, neonates in Group2 were given O₂ by headbox on a FiO₂ of 0.5, the flow rate being 8–10 L/min in NIPPV group and 2–3 L/min in O₂ by headbox group.
2–3 L/min should have been 5–8 L/min.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s12098-010-0357-x>.

M. Kumar (✉) · S. Ahuja · G. K. Malik · S. N. Singh
Department of Pediatrics,
Chhatrapati Sahuji Maharaj Medical University (CSMMU),
C-83, Nirala Nagar,
Lucknow 226020, India
e-mail: mala_lko@yahoo.co.in

S. Avasthi
Department of Pediatrics, Era Medical College,
Lucknow, India