Erratum to: Changes in conjunctival cytology and tear function tests with radioiodine treatment for hyperthyroidism

Gökhan Koca · Ugur Acar · Hasan Ikbāl Atılğan · Damla Ergintürk Acar ·
Ugur Emrah Altıparmak · Koray Demirel · Zuleyha Yalnız-Akkaya ·
Huseyin Ustun · Meliha Korkmaz · Firdevs Ornek

Published online: 13 June 2013
© The Japanese Society of Nuclear Medicine 2013

Erratum to: Ann Nucl Med DOI 10.1007/s12149-013-0705-9

The author would like to correct the errors in the publication of the original article. The corrected details are given below for your reading.

The fourth paragraph under heading “Results” should read as

“In both right and left eyes, in 8 (32 %) patients both pre-treatment and post-treatment BUT scores were <10 s. In 11 patients (44 %) pre-treatment BUT scores were >10 s while post-treatment scores were <10 s. In 6 (24 %) patients both pre-treatment and post-treatment scores were

The online version of the original article can be found under doi:[10.1007/s12149-013-0705-9](https://doi.org/10.1007/s12149-013-0705-9).

G. Koca (✉) · H. I. Atılğan · K. Demirel · M. Korkmaz
Department of Nuclear Medicine, Ministry of Health, Ankara
Training and Research Hospital, Ulucanlar Street,
06560 Ankara, Turkey
e-mail: drgokko@gmail.com

H. I. Atılğan
e-mail: h_i_atilgan@yahoo.com

K. Demirel
e-mail: demirelkoray@yahoo.com

M. Korkmaz
e-mail: melihamkorkmaz@gmail.com

U. Acar
Department of Ophthalmology, Hacettepe University,
Kastamonu Faculty of Medicine, Kastamonu, Turkey
e-mail: druguracar@yahoo.com

D. Ergintürk Acar
Division of Ophthalmology, Ministry of Health, Kastamonu
Dr. Münif İslamoğlu National Hospital, Kastamonu, Turkey
e-mail: erginturk@yahoo.com

U. E. Altıparmak · Z. Yalnız-Akkaya · F. Ornek
Department of Ophthalmology, Ministry of Health, Ankara
Training and Research Hospital, Ulucanlar Street, 06560
Ankara, Turkey
e-mail: ealtiparmak@hotmail.com

Z. Yalnız-Akkaya
e-mail: zyalniz@yahoo.com

F. Ornek
e-mail: fornek@hotmail.com

H. Ustun
Department of Pathology, Ministry of Health, Ankara Training
and Research Hospital, Ulucanlar Street, 06560 Ankara, Turkey
e-mail: olgupatoloji@yahoo.com

>10 s (Table 3). The quantitative BUT score decreased post-treatment ($p = 0.001$)."

The corrected Table 3 should read as

Table 3 The break-up time (BUT) scores in 25 patients (same in right and left eyes)

	Post-treatment BUT scores	
	<10 s	>10 s
Pre-treatment BUT scores		
<10 s	8	–
>10 s	11	6