Erratum to: Bulk motion-independent analyses of water diffusion changes in the brain during the cardiac cycle

Tomoya Nakamura · Tosiaki Miyati · Harumasa Kasai · Naoki Ohno ·
Masato Yamada · Mitsuhiro Mase · Masaki Hara · Yuta Shibamoto ·
Yuriko Suzuki · Katsuhiko Ichikawa

Published online: 24 February 2010
© Japanese Society of Radiological Technology and Japan Society of Medical Physics 2010

Erratum to: Radiol Phys Technol (2009) 2:133–137
DOI 10.1007/s12194-009-0056-3

Equation (2) appeared incorrectly in the article cited above.
The correct equation is as follows:

$$FA = \frac{\sqrt{3} \sqrt{(\lambda_1 - D)^2 + (\lambda_2 - D)^2 + (\lambda_3 - D)^2}}{\sqrt{\lambda_1^2 + \lambda_2^2 + \lambda_3^2}}$$

The online version of the original article can be found under
doi:[10.1007/s12194-009-0056-3](https://doi.org/10.1007/s12194-009-0056-3).

T. Nakamura (✉)
Department of Radiology,
Tokai University Hachioji Hospital,
1838 Ishikawa, Hachioji 192-0032, Japan
e-mail: nakamura.tomoya@hachioji-hosp.tokai.ac.jp

T. Miyati · N. Ohno · K. Ichikawa
Division of Health Sciences,
Graduate School of Medical Science, Kanazawa University,
5-11-80 Kodatsuno, Kanazawa 920-0942, Japan

H. Kasai · M. Yamada · M. Hara · Y. Shibamoto
Department of Radiology,
Nagoya City University Hospital,
1 Kawasumi, Mizuho, Mizuho-ku, Nagoya 467-8602, Japan

M. Mase
Department of Neurosurgery and Restorative Neuroscience,
Nagoya City University Graduate School of Medical Sciences,
1 Kawasumi, Mizuho, Mizuho-ku,
Nagoya 467-8601, Japan

Y. Suzuki
MR Clinical Science, Philips Medical Systems,
2-13-37 Kounan, Minato-ku, Tokyo 108-8507, Japan