Erratum to: Sympathectomy-mediated vasodilatation: a randomized concentration ranging study of epidural bupivacaine

Yehuda Ginosar, MBBS · Carolyn F. Weiniger, MB ·
Vladimir Kurz, MD · Anatoly Babchenko, PhD ·
Meir Nitzan, PhD · Elyad Davidson, MD

Published online: 13 April 2010
© Canadian Anesthesiologists' Society 2010

**Erratum to: Can J Anesth/J Can Anesth
(2009) 56:213–221
DOI 10.1007/s12630-008-9036-z**

In the manuscript entitled: “Sympathectomy-mediated vasodilatation: a randomized concentration ranging study of epidural bupivacaine” published in the March 2009 issue, Can J Anesth 2009; 56: 213–21, the term AM in the published Fig. 1 was labelled erroneously as the value of the PPG pulse minimum. The correct label for the term AM should read: represents the amplitude of the PPG pulse (the difference between maximum and minimum). Additionally, the ordinate units are arbitrary units (a.u.). Please see the corrected Figure.

Fig. 1

The online version of the original article can be found under doi:[10.1007/s12630-008-9036-z](https://doi.org/10.1007/s12630-008-9036-z).

Y. Ginosar, MBBS (✉) · C. F. Weiniger, MB · V. Kurz, MD ·
E. Davidson, MD
Department of Anesthesiology and Critical Care Medicine,
Hadassah Hebrew University Medical Center, POB 12000,
Jerusalem 91120, Israel
e-mail: yginosar@netvision.net.il

A. Babchenko, PhD · M. Nitzan, PhD
Department of Applied Physics/Medical Engineering, Jerusalem
College of Technology, Jerusalem, Israel