



Correction to: Treatment with the PPAR γ Agonist Pioglitazone in the Early Post-ischemia Phase Inhibits Pro-inflammatory Responses and Promotes Neurogenesis Via the Activation of Innate- and Bone Marrow-Derived Stem Cells in Rats

Tomoya Kinouchi¹ · Keiko T. Kitazato¹ · Kenji Shimada¹ · Kenji Yagi¹ · Yoshiteru Tada¹ · Nobuhisa Matsushita¹ · Yoshitaka Kurashiki¹ · Junichiro Satomi¹ · Masataka Sata² · Shinji Nagahiro¹

Published online: 26 November 2017
© The Author(s) 2017

Correction to: *Transl. Stroke Res.* (2017)

<https://doi.org/10.1007/s12975-017-0577-8>

In the original publication of the article, the second author (Keiko T. Kitazato) was missing.

The original article has been corrected.

The online version of the original article can be found at <https://doi.org/10.1007/s12975-017-0577-8>

✉ Tomoya Kinouchi
k-tomoya@xg8.so-net.ne.jp

¹ Department of Neurosurgery, Institute of Biomedical Sciences, Tokushima University Graduate School, 3-18-15, Kuramoto-cho, Tokushima 770-8503, Japan

² Department of Cardiovascular Medicine, Institute of Biomedical Sciences, Tokushima University Graduate School, Tokushima, Japan