Erratum to: *N*-Methyl-2-pyridone-5-carboxamide is 1-methylnicotinamide metabolite of low cyclooxygenase-dependent vasodilating activity

Tomasz Przygodzki · Bartłomiej Grobelski ·
Piotr Kazmierczak · Cezary Watala

Published online: 15 February 2012
© University of Navarra 2012

Erratum to: J Physiol Biochem
DOI 10.1007/s13105-012-0144-4

Unfortunately, the legend of figure 2 of this manuscript contained two errors, where μ symbols were replaced by a $\bullet$. The correct legend to figure 2 should be:

Fig. 2 Effect of selective COX-2 inhibitor, NS-398, and indomethacin on 6-keto-PGF1 α and PGE2 secretion. NS-398 and indomethacin used at the concentrations of 25 μ mol/l and 50 μ mol/l, respectively. Data presented as median and interquartile range, min-max ranges marked as whiskers (n=4, **p<0.01, ***p<0.001)

The online version of the original article can be found at <http://dx.doi.org/10.1007/s13105-012-0144-4>.

T. Przygodzki (✉) · B. Grobelski · P. Kazmierczak ·
C. Watala
Chair of Laboratory Diagnostics,
Department of Haemostasis and Haemostatic Disorders,
University Clinical Hospital No 2,
Medical University of Lodz,
Lodz, Poland
e-mail: tomasz.przygodzki@umed.lodz.pl

P. Kazmierczak
Postgraduate School of Molecular Medicine,
Medical University of Warsaw,
Warsaw, Poland