Erratum to : La diaphyse fémorale AL 333-61 : preuve d'une bipédie comme unique mode locomoteur il y a 3,2 Ma en Ethiopie ?

Erratum to: AL 333-61 femoral diaphysis: evidence of obligate bipedalism 3.2 million years ago in Ethiopia?

T. Chevalier

© Société d'anthropologie de Paris et Springer-Verlag France 2013

Erratum to: Bull. Mém. Soc. Anthropol. Paris DOI 10.1007/s13219-012-0074-2

Dans cet article, la légende de la figure 7 était incomplète, nous la republions ici (Fig. 1).

T. Chevalier (✉)
EPCC-CERP (Centre Européen de Recherches Préhistoriques),
Avenue Léon-Jean Grégory, 66720 Tautavel
e-mail : tony.chevalier@cerptautavel.com

Fig. 1 Fig. 7. A- Section transversale à 50% de la longueur biomécanique (exceptée pour Bouri). Les sections sont présentées avec la même largeur et la même latéralité. Les sections transversales (modifiées par l'auteur pour les homogénéiser) proviennent de : Chimpanzé, Homme 1, OH62, KNMER 1808, WT 15000 [1] ; Homme 2, KNM ER 1481, Zhoukoudian 1, La Chapelle-aux-Saints, Paviland 1 [2] ; Ferrassie 1, Neanderthal 1, CM4323, CM4322, Spy 2, Paviland 1 [3] ; La Chaise [4] ; Tabun 3, Tabun 1, Shanidar 5, Amud 1, Skhul 5, Qafzeh 9, Qafzeh 8, Skhul 7 [5] ; Fond-de-Forêt, Spy 2 [6] ; St Césaire [7] ; BOU VP 2/15, BOU VP 19/63 [8] ; Willendorf [9]. B- Epaisseur corticale relative du pilastre pour le même échantillon / A- Femoral midshaft cross-sections (except for Bouri). The cross-sections are scaled to the same width and laterality. Cross-sectional morphology (modified for homogeneity) from : Chimpanzé, Homme 1, OH62, KNMER 1808, WT 15000 [1]; Homme 2, KNM ER 1481, Zhoukoudian 1, La Chapelle-aux-Saints [2]; Ferrassie 1, Neanderthal 1, CM4323, CM4322, Spy 2, Paviland 1 [3]; La Chaise [4]; Tabun 3, Tabun 1, Shanidar 5, Amud 1, Skhul 5, Qafzeh 9, Qafzeh 8, Skhul 7 [5]; Fond-de-Forêt [6]; St Césaire [7]; BOU VP 2/15, BOU VP 19/63 [8]; Willendorf [9]; B- Relative cortical bone thickness of the pilaster in same sample.

Références

1. Ruff CB (2009) Relative limb strength and locomotion in *Homo habilis*. *Am J Phys Anthropol* 138:1139–44
2. Ruff CB, Trinkaus E, Walker A, et al (1993) Postcranial robusticity in *Homo*. I: temporal trends and mechanical interpretation. *Am J Phys Anthropol* 91:21–53
3. Trinkaus E (1997) Appendicular robusticity and the paleobiology of modern human emergence. *Proc Natl Sci USA* 94: 13367–73
4. Condemi S (2001) Les néandertaliens de la Chaise. Comité des travaux historiques et scientifiques. 178 p
5. Trinkaus E, Ruff CB (1999) Diaphyseal cross-sectional geometry of the near eastern middle Palaeolithic humans: the femur. *J Arch Sci* 26:409–24
6. Trinkaus E, Ruff CB (1989) Diaphyseal cross-sectional morphology and biomechanics of the Fond-de-Forêt 1 femur and the Spy 2 femur and tibia. *Anthropologie et Préhistoire* 100:33–42
7. Trinkaus E, Churchill SE, Ruff CB, et al (1999) Long bone shaft robusticity and body proportions of the Saint-Césaire 1 châtelperronian Neanderthal. *J Arch Sci* 26:753–73
8. Gilbert WH, Asfaw B (2008) *Homo erectus*, Pleistocene evidence from the Middle Awash, Ethiopia, University of California Press, 458 p
9. Teschler-Nicola M, Trinkaus E (2001) Human remains from the Austrian gravettian: the Willendorf femoral diaphysis and mandibular symphysis. *J Hum Evol* 40:451–65