SPECIAL ISSUE: Emerging Investigators of Nanomaterials

Preface

The development of nanotechnology has been considered as one of the most critical advances in the 21st century, because it allows us to create and manipulate nanomaterials and nanodevices in a controllable way. So far, the development of nanotechnology has focused on application-oriented research, the transfer of knowledge from research to industry, the development of professional research centers for nanotechnology and nanomaterials, and the industrialization process by companies. Given the rapid development of nanomaterials and nanotechnology in recent years, we would like to take this opportunity to publish this themed issue focusing on emerging investigators, namely, some new rising stars in this field. They have made significant contributions to the progress of nanomaterials and nanodevices. Our aim is to highlight the remarkable contributions made by these young scientists in this important research area and broad impacts of electronic devices. This themed issue contains six articles.

Electrospun nanowire arrays for electronics and optoelectronics

Dr. Tianyou Zhai received his PhD degree in physical chemistry from the Institute of Chemistry, Chinese Academy of Sciences (ICCAS) in 2008. Afterwards, he joined the National Institute for Materials Science (NIMS) as a JSPS postdoctoral fellow of Prof. Yoshio Bando's group. Currently, he is a chief professor at Huazhong University of Science and Technology. His research interests include the controlled synthesis and exploration of the fundamental physical properties of inorganic functional nanomaterials, as well as their promising applications in energy science, electronics, and optoelectronics. In the review article by Zhai *et al.*, they focus primarily on assembling methods and emphasize the electrospinning method and its developments, as well as the applications of aligned nanowire arrays (NWA) in electronics and optoelectronics, which have a bright future in 1D material-based electronics and optoelectronics.

Electrocatalysts for hydrogen oxidation and evolution reactions

Dr. Zhongbin Zhuang received his PhD degree from Ts-

inghua University in 2010. He went on to do postdoctoral work at the University of California, Riverside and the University of Delaware. He is now a professor at Beijing University of Chemical Technology. His current research interests include electrocatalysts for fuel cells and electrolyzers, interfacial electrochemistry, and methodologies for nanocrystal synthesis. In the review, Zhuang *et al.* summarize various electrocatalysts including Pt, metal dichalcogenides, and phosphides for the hydrogen oxidation and evolution reactions and related reaction mechanisms, factors influencing the catalyst activity, and the influence of the electrolyte (acid vs. base).

Perfect absorber and optical switch

Dr. Qihua Xiong received his PhD degree in materials science under the supervision of Prof. Peter Eklund at Pennsylvania State University in 2006. He then obtained three years of postdoctoral experience in Prof. Charles Lieber's group at Harvard University. He is currently employed as an associate professor at Nanyang Technological University. His group has demonstrated the first laser cooling of 40 K in semiconductors under room temperature in the field of laser cooling of solids. This work has been published and selected as a "Nature Cover Highlight". In the article by Xiong *et al.*, they report a large-scale perfect absorber and optical switch based on a phase change material (Ge₂Sb₂Te₃) thin film; they also highlight the potential of applying this work to optical switches and rewritable data storage.

Highly flexible strain sensor for wearable electronic device

Dr. Di Chen received her PhD degree from the University of Science and Technology of China in 2005. She is now a professor at the School of Mathematics and Physics, University of Science and Technology Beijing. Her current research interest is the development of advanced technology for designing nanostructure materials for sustainable energy applications, including energy storage and photocatalysts. In the article by Chen *et al.*, a highly flexible strain sensor based on P(VDF-TrFE) nanofibers and ZnO nanowires was fabricated by electrospinning and a hydrothermal process. This device exhibits an excellent performance in terms of

its rapid response and recovery speed, high sensitivity, high gauge factor and the capability for multifunctional sensing, including the deformations of stretching and bending.

Monolayer MoS₂ nanodevice

Dr. Caofeng Pan received his PhD (2010) in materials science and engineering from Tsinghua University, China. Subsequently, he joined the group of Prof. Zhong-Lin Wang at Georgia Institute of Technology as a postdoctoral fellow. Currently, he is a professor and group leader at Beijing Institute of Nanoenergy and Nanosystems, Chinese Academy of Science. His main research interests focus on the fields of piezotronics/piezo-phototronics for fabricating new electronic and optoelectronic devices, nanopower source, hybrid nanogenerators, and self-powdered nanosystems. In the paper by Pan *et al.*, they report the successfully controllable synthesis of larger area MoS₂ monolayer single crystals on SiO₂/Si substrate, with further demonstration of the superior electronic property and higher photoresponsivity of monolayer MoS₂ single crystals compared to the previously reported CVD grown MoS₂ monolayer.

Hybrid nanospheres and catalysis

Dr. Yu Zhang received his PhD degree in chemistry from Jilin University in 2007. Then he worked as a New Energy and Industrial Technology Development Organization (NEDO) fellow at Hiroshima University, Japan. In March 2013, he joined Beihang University as a “Zhuoyue” Program Associate Professor. He now works as a professor

in the School of Chemistry and Environment, Beihang University. His interests mainly focus on advanced materials for hydrogen storage/production, lithium/sodium ion batteries, and fuel cells. In the paper by Zhang *et al.*, they report a facile *in situ* redox strategy to fabricate surfactant-free M-Fe₂O₃ (M = Pt, Pd, Au) hybrid nanospheres. Based on the detailed study of their formation, the CO oxidation catalysis has been used to demonstrate their applications.

Although it is difficult to include all of the important topics in this fast developing and attractive field, we hope that this themed issue with its small collection of papers can provide the readers with an overview of the recent progress achieved and future directions in the field of nanomaterials and nanodevices.

Guest editors

Prof. Rongming Wang

University of Science and Technology Beijing, Beijing 100083, China
E-mail: rmwang@ustb.edu.cn

Prof. Shutao Wang

Technical Institute of Physics & Chemistry, Chinese Academy of Sciences, Beijing 100190, China.
E-mail: stwang@mail.ipc.ac.cn

Prof. Jiatao Zhang

Beijing Institute of Technology, Beijing 100081, China
E-mail: zhangjt@bit.edu.cn