Lean Manufacturing and Environmental Performance – Exploring the Impact and Relationship

Simon Peter Nadeem^{1(⊠)}, Jose Arturo Garza-Reyes¹, Sin-Ching Leung², Anass Cherrafi³, Anthony I. Anosike¹, and Ming K. Lim⁴

Centre for Supply Chain Improvement, University of Derby, Derby, UK {S. Nadeem, J. Reyes, A. Anosike}@derby.ac.uk
PAL Surface Treatment System Ltd., Tai Po, Hong Kong sincleung2-c@my.cityu.edu.hk
Cadi Ayyad University, Marrakech, Morocco anass.charrafi@ced.uca.ma
Centre for Business in Society, Coventry University, Coventry, UK Ming.Lim@coventry.ac.uk

Abstract. The relationship between Lean Manufacturing and Environmental Performance has attracted much debate but at the same time lack of empirical evidence leaves haphazard opinions on this matter. The objective of this paper is therefore to provide some insight into the impact of Lean Manufacturing on Environmental Performance and the existing relationship of these two concepts. Four semi-structured interviews with industrial and academic experts provided a solid ground to suggest that the relationship does exist, despite the fact that these two concepts were developed independently from each other. Being the exploratory nature of this study and its purpose to ignite further research, it does not employ a quantitative approach. The results of this study can help managers to better understand and concurrently tackle both the economic and environmental challenges faced by their organizations.

Keywords: Lean Manufacturing · Environmental performance · Value · Wastes

1 Introduction

In the presence of growing competition, depleting resources, rising costs, and escalated concerns for the environment, businesses have been pushed to explore new ways to maximize efficiency and effectiveness by developing new philosophies/methods to improve production/services while at the same time minimizing the negative impact of the operations on the environment. After the World War II, Toyota was faced with fierce competition by its US rival car manufacturers [1], and in order to keep themselves operational in excelling manner, it developed the Lean Manufacturing (hereafter referred as LM) framework [2]. Since then, the concept has been widely appraised and

© IFIP International Federation for Information Processing 2017 Published by Springer International Publishing AG 2017. All Rights Reserved H. Lödding et al. (Eds.): APMS 2017, Part II, IFIP AICT 514, pp. 331–340, 2017. DOI: 10.1007/978-3-319-66926-7_38 adopted by a wide range of companies and industries around the world [1, 3] to improve the competitive edge [4] for their businesses.

There are numerous approaches that constitute the structure of a lean system, e.g. Total Quality Management, Just-in-Time [5], Kanban, and Jidoka [6]. Lean helps to identify and eliminate non-value added activities and optimize performance [7]. Hence, organizations implement lean in order to increase production flexibility and improve product quality while keeping costs low [8].

For the lean theory, wastes refer to any activity that do not add value [7], whereas from an environmental perspective waste refers to the unnecessary consumption of resources and/or release of harmful substances into the environment, creating a negative effect on this and human health [9]. For example, waste of overproduction – producing without demand – is waste of resources/energy. Thus, an organization implementing lean is not only reducing cost, but is contributing to resource preservation.

The attention to the relationship between lean and green has gained momentum recently [1]. However, the academic literature examining the impact of LM on environmental (also known as 'green') performance still remains in early stages [1, 10]. Thus, the aim of this article is to investigate the relationship and impact of LM on Environmental Performance and the existing relationship of these two concepts. In this way, this article mainly focuses on the meaning of the green concept waste so as to investigate the relationship between LM and environment. Moreover, only the original seven manufacturing wastes, as defined by Toyota, are considered in this study.

The study in this article provides a brief overview of the literature to explore the relationship between seven wastes identified under the lean philosophy and environmental performance (hereafter referred as EP). Each of the manufacturing wastes that lean attempts to reduce is somewhat associated with EP. Hence, attention is focused on if and how lean creates more environment friendly production processes.

2 Theoretical Background

2.1 Lean Manufacturing

The development of LM dates back to as far as 1927, when the embryonic idea was laid out by Henry Ford [11]. However, its more rigorous development has been associated to the Toyota Production System [1]. Krafcik was the first to coin the term 'Lean Production' [7, 12]. Lean's unique blend of focusing on reducing waste and maximizing value attracted the attention of business practitioners to adapt this approach [13] and has hence gained tremendous magnetism in the US since the 1960s [11]. Scholars also believe that Lean is not just related to manufacturing as it is mostly known for, but is a business culture [14]. The Toyota's LM system identifies 7 types of wastes, and an addition to those seven wastes was made by Liker [15]. These wastes are in the area of; (1) Overproduction, (2) Waiting (time on hand), (3) Unnecessary transport, (4) Over processing or incorrect processing, (5) Excess inventory, (6) Unnecessary movement, (7) Defects, (8) Unused employee creativity.

Despite its mass appraisal/adoption in manufacturing and service industries, and by academics, there is a lack of agreement for a common definition of the concept [11, 16]. Thus, it becomes hard to define its overall goals [17]. However, LM is a major contributor to revolutionize businesses in their pursuit of doing more with less, while preserving value [14]. At the core of Lean, waste is defined as any non-value adding activity [18], and the focus is to promote a continuous improvement culture [14] and customer value enhancement by eliminating waste [7].

2.2 Metrics of Environmental Performance

The World Economic Forum (WEF) developed the Pilot EP Index in collaboration with Yale Center for Environmental Law and Policy, and Center for International Earth Science Information Network of Columbia University [19]; utilizing 4 dimensions (see Table 1) to measure the EP of any institution. The Department for Environment, Food and Rural Affairs (DEFRA) [20] in the UK also used similar measuring dimensions (see Table 1). The Global Environmental Management Initiative (GEMI) [21] in the US identified a longer list of measures being used by companies surveyed by them. This list does covers the 8th waste of Lean identified by Liker [15], however the dimensions mentioned revolve around the four core aspects identified by WEF and DEFRA (see Table 1).

WEF	DEFRA	GEMI		
Dimensions of measures in use for environmental performance metrics				
Air quality	Emission to air	Permitted air emission		
Water quality	Emission to water	Amount of water used		
Land protection	Emission to LAND	Quantity of toxic chemical released		
Climate change	Resource use	Amount of hazardous waste generated		
		Number of recordable injuries/illnesses		
		Number of lost workday cases		
		Number of notices of violation		
		Type/volume of non-regulated materials recycled		
		Type/volume of non-regulated materials disposed		
		Amount of dollar fines		
		Number/type of reportable releases		
		Amount/type of fuel used		
		Total annual EHS operating costs		
		Number of regulatory inspections		
		Ozone depleting substance use		
		Total annual EHS capital costs		

Table 1. Dimensions used by different organization to measure EP.

Overall, it would be correct to say that the four common dimensions of air, water, climate, and land, mentioned in Table 1 are at the core of the measurement of EP [22]

in any organization. However, it is important to understand that the choice of measures would depend directly on the type of industry/organization and their activity. Some indicators are common, as mentioned above, whereas others might be unique to a specific industry [21]. Therefore this research takes the basic general overview of EP measures and explore its relationship with LM.

2.3 The Interaction Between Lean and Environment

There is both positive and negative opinions on the matter of the interactions between LM and Green under the realization that the core focuses of Lean and Sustainability are different [23]. However, scholars do believe that the LM and Green approaches are conceptually similar [24] and that Lean's focus on the reduction of waste, in itself, proves its positive environmental effect [23]. Therefore, the alignment of LM and Green seems natural [25]. Consequently, the term Green Lean has emerged [26]. While it is true that LM does seem to have a direct relationship with EP, it is also evident that the environmental aspect has not been the core reason for the development of LM [27, 28], and that initiatives of EP (Green) and LM have been developed independently from each other [29].

Regardless of the core reasons for the development of LM and Green, and the fact the two cannot be perfectly combined [25], scholars agree that there are synergetic opportunities between lean and sustainability [23] and that they are concurrent and can effectively work together [23]. The U.S. Environmental Protection Agency [8] published a report referring to a strong linkage between LM and its impact on the environment. There is a shortage of in-depth research on their correlation and output [1], as well as the empirical evidence is sparse [10]. As a result of that, this paper further examines this with empirical evidence.

It is evident that the implementation of LM is not with concerns for the environment but is for business improvement. Scholars did raise concerns regarding the cost of improving EP initiatives being high may undermine the economic sustainability of the business [30]. But authors do agree that LM, alongside improving industrial performance, also contributes to environment performance improvement [10, 31].

Figure 1 below portrays the authors' understanding in light of the published articles and empirical evidence explored in this study, about the relationship between LM's 7 areas of waste and the 4 core dimensions to measure EP. The 8th waste of lean, unused employee creativity, has not been included as it's not directly linked with EP, although indirectly it does play a role in assessment and policy development for EP.

3 Research Method

The scope of this paper is to explore the impact of LM on EP and their relationship. For this purpose, empirical evidence and opinions were collected from industrial leaders/practitioners from China and Hong Kong. Four interviewees were carefully selected to represent a diverse range of industrial backgrounds/experience, and were interviewed independently from each other. A brief profile of the research participants




Fig. 1. Relationship between Lean's 7 wastes and environmental performance measures

Participant	Position	Industry affiliation	Experience
A	Project manager	Food	Over 8 years of experience in implementing LM principles in production/processing industry
В	Project manager	Machinery production	Over 10 years of industrial experience on LM
С	Director	Garments accessories	Over 17 years of industrial experience on LM
D	Associate Professor	Textiles/academic	Over 22 years of experience as Researcher on Lean Manufacturing

Table 2. Research participants profile

is presented in Table 2. Names of the individuals, and their companies, are kept anonymous under a confidentiality agreement.

The interviews were conducted via Skype and were audio recorded. Since all respondents were from different industries, it would be complex to compare their responses but at the same time it does give a good diversified understanding and eliminates bias.

3.1 Research Question/Framework of the Study

A questionnaire that consisted of 16 open ended questions was developed, with two major dimensions in focus on which the whole of this study hinges:

- 1. Are Lean and Environmental Performance related?
- 2. Does lean impact/improve environmental performance?

4 Results and Analysis

The interviews helped to collect primary data from industry leaders/practitioners. The responses provided a glimpse of diverse opinions on the matter and yet uniformity to some extent as well. The collected results are summarized in four dimensions (see Fig. 2) highlighting the core essence of this study, and are discussed below.

4.1 Are Lean and Environmental Performance Related?

The respondents' opinion leads to an inconclusive estimation about the relationship between LM and EP, except for one respondent whose opinion was based upon implementation perspective, rather than their rational nature. The reason to base their inconclusive opinion was the very core reasons for the development of these concepts.

The respondents believed that the development of both concepts is independent and irrespective of each other and with very different focuses, one being on production/service optimization in a cost effective manner and the other being on environmental improvement, with a




Fig. 2. Summarization of results in four dimensions

much broader prospective than just the economic benefit. However, they do believe that in the practical output they do seem to relate, and this is discussed further.

4.2 Does Lean Impact/Improve Environmental Performance?

All the respondents acknowledge the positive contribution of LM towards EP. Some of the views are as follows:

- Implementing lean does foster EP.
- EP improvement is an added/bonus feature of LM.
- Some examples shared by respondents are:
 - Usage of plastic pallet instead of wooden one was adopted under lean due to short lifecycle and less durability of wooden pallet. This did improve EP by

utilizing reusable material (plastic) and preserving resources by not using wood and not burning it at the end of life cycle.

- Reduction in transportation of material has a dual effect. Positive effect by optimizing the operation time, reducing cost, as well as reducing emissions. But at the same time, lower inventory requires more frequent deliveries, thus an increase in emission, but it does balance itself by decreased/delayed resource extraction, and no stagnation of material in storage.
- The food industry greatly benefits from LM, as by adopting JIT principles it minimize the obsolescence and wastage contributing to environmental pollutants.
- Another respondent highlighted the indirect impact on EP through the utilization of Kanban systems to optimize information flow and reduce the usage of energy by avoiding over processing or incorrect processing.
- With reference to one of the participants' responses, the design of assembly/production line affects efficiency. In general, a U-shaped assembly line system is given appraisal by participants, which is also highlighted by scholars [32]. It can improve efficiency by reducing motion within the processes, increase labor productivity by using less people to do the same work so as to reduce the usage of natural resources and loss of other potential usage.
- By applying the TQM and Lean approaches, the possibility of defective product is minimized to the maximum possible extent, thus resulting in the preservation of natural resources and energy utilized for production.

In general, the environmental impacts of allocation of inventory, volume of production and defects have a strong linkage to the lean strategy.

4.3 Does Environmental Performance Impacts Lean?

The respondents tended to have negative opinion about EP impacting LM. Based on their opinion, businesses are more concerned with economic performance and would only (or mostly) act to improve EP if the regulatory authorities require so or otherwise if they come implicit in the management philosophies such as in the case of LM.

One respondent described implementation of lean in relation to the cost charged by the government, for the amount of polluted water released from their production facility and the need to keep it low. Therefore, the regulatory institutions with the EP goals of reducing polluted water and by placing cost on its disposal, resulted in the company adopting Lean. But such scenarios may not be very common. Mostly its other way around, where business improve EP to increase their market share or that EP come inherent within the optimization of operations through implementation of Lean.

4.4 Are 7 Wastes of Lean Related to Dimension of Environmental Performance?

Participants believe in the synergies between LM and EP but there are mixed reasoning on the linkage between the seven wastes of Lean and the four dimensions of EP.

Participants reason that LM might not always contribute to EP, as is the case with frequent deliveries, discussed above. Also, in the food industry and other operational facilities, water and other chemical fluids are used for cleaning equipment, which has to be done at least daily and sometimes several times a day. Thus, LM processes requiring frequent cleanup result in the release of more polluted liquid waste. Another participant argued that by doing so, process efficiency/accuracy is achieved which indirectly links to EP.

Finally, all the respondents suggested that LM has no relationship with toxic pollutants. If the regulatory authorities do not allow their usage or cap it to specific limit, industries will have to follow the guidelines.

5 Conclusion

This article provides an overview of the conceptual understanding of LM, EP, and their relationship. The qualitative analysis of empirical data collected through in depth interviews has provided understanding from the practitioners' point of view. Based on the survey results, it would be correct to say that both the LM and EP are interlinked to some extent but their development and implementations are done with totally different focuses. However given the dual nature of LM, it might be best for institutions promoting EP among industries to highlight LM as an enabler/approach in order to be more appealing and motivating to businesses. Due to the limitation of small sample size of interviewees, the study results cannot be generalized. Further research is highly recommended to expand the understanding and strengthen the implications of these two concepts to each other.

References

- Garza-Reyes, J.A.: Lean and green—a systematic review of the state of the art literature.
 J. Clean. Prod. 102, 18–29 (2015)
- Herron, C., Hicks, C.: The transfer of selected lean manufacturing techniques from Japanese automotive manufacturing into general manufacturing (UK) through change agents. Robot. Comput. Integr. Manuf. 24(4), 524–531 (2008)
- 3. Garza-Reyes, J.A., Parker, H.S., Oraifige, I., Soriano-Meier, H., Harmanto, D.: An empirical-exploratory study of the status of lean manufacturing in India. Int. J. Bus. Excell. **5** (4), 395–412 (2012)
- 4. Hines, P., Holweg, M., Rich, N.: Learning to evolve: a review of contemporary lean thinking. Int. J. Oper. Prod. Manag. **24**(10), 994–1011 (2004)
- Shah, R., Ward, P.T.: Lean manufacturing: context, practice bundles, and performance.
 J. Oper. Manag. 21, 129–149 (2003)
- 6. Slack, N., Brandon-Jones, A., Johnston, R.: Operations Management, 8th edn. Pearson, Harlow (2016)
- 7. Womack, J.P., Jones, D.T., Roos, D., Carpenter, D.S.: The Machine that Changed the World. Simon & Schuster, New York (1990)

- U.S. Environmental Protection Agency. Lean Manufacturing and the Environment: Research
 on Advanced Manufacturing Systems and the Environment and Recommendations for
 Leveraging Better Environmental Performance, USA (2003)
- 9. U.S. Environmental Protection Agency. The Lean and Environment Toolkit: United States Environmental Protection Agency (2007)
- King, A.A., Lenox, M.J.: Lean and Green? An empirical examination of the relationship between lean production and environmental performance. Prod. Oper. Manag. 10(3), 224– 236 (2001)
- 11. Shah, R., Ward, T.: Defining and developing measures of lean production. J. Oper. Manag. **25**, 785–805 (2007)
- 12. Krafcik, J.F.: Triumph of the lean production system. MIT Sloan Manag. Rev. **30**(1), 40–52 (1988)
- 13. Jadhav, J.R., Mantha, S., Rane, S.B.: Exploring barriers in lean implementation. Int. J. Lean Six Sigma 5(2), 122–148 (2014)
- Pampanelli, A.B., Found, P., Bernardes, A.M.: A Lean & Green Model for a production cell.
 J. Clean. Prod. 85, 19–30 (2014)
- 15. Liker, J.K.: The Toyota Way. McGraw-Hill, New York (2004)
- Pettersen, J.: Defining lean production: some conceptual and practical issues. TQM J. 21(2), 127–142 (2009)
- 17. Andersson, R., Eriksson, H., Torstensson, H.: Similarities and differences between TWM, six sigma and lean. TQM Mag. **18**(3), 282–296 (2006)
- 18. Omogbai, O., Salonitis, K.: A lean assessment tool based on systems dynamics. Procedia CIRP **50**, 106–111 (2016)
- 19. Yale Center for Environmental Law and Policy: Pilot Environmental Performance Index (2002)
- 20. Department for Environment, Food and Rural Affairs: Environmental Key Performance Indicators, London (2006)
- 21. Global Environmental Management Initiative. Measuring Environmental Performance: A Primer and Survey of Metrics in Use, Washington, D.C. (1998)
- 22. Bandehnezhad, M., Zailani, S., Fernando, Y.: An empirical study on the contribution of lean practices to environmental performance of the manufacturing firms in northern region of Malaysia. Int. J. Value Chain Manag. **6**(2), 144–168 (2012)
- Leon, H.C.M., Calvo-Amodio, J.: Towards lean for sustainability: understanding the interrelationships between lean and sustainability from a systems thinking perspective. J. Clean. Prod. 142, 4384–4402 (2017)
- 24. Torielli, R.M., Abrahams, R.A., Smillie, R.W., Voigt, R.C.: Using lean methodologies for economically and environmentally sustainable foundries. In: The 69th World Foundry Congress, Hangzhou, China, pp. 74–88. China Foundry (2010)
- 25. Garza-Reyes, J.A.: Green lean and the need for Six Sigma. Int. J. Lean Six Sigma 6(3), 226–248 (2015)
- Garza-Reyes, J.A., Winck Jacques, G., Lim, M.K., Kumar, V., Rocha-Lona, L.: Lean and green synergies, differences, limitations, and the need for six sigma. In: Grabot, B., Vallespir, B., Gomes, S., Bouras, A., Kiritsis, D. (eds.) APMS 2014. IAICT, vol. 439, pp. 71–81. Springer, Heidelberg (2014). doi:10.1007/978-3-662-44736-9_9
- Azevedo, S., Carvalho, H., Duarte, S.: Influence of green and lean upstream supply chain management practices on business sustainability. IEEE Trans. Eng. Manag. 59(4), 753–765 (2012)
- 28. Durate, S., Cruz-Machado, V.: Modelling lean and green: a review from business models. Int. J. Lean Six Sigma 4(3), 228–250 (2013)
- 29. Dhingra, R., Kress, R., Upreti, G.: Does lean mean green? J. Clean. Prod. 85, 1–7 (2014)

- 30. Florida, R.: Lean and green: the move to environmentally conscious manufacturing. Calif. Manag. Rev. **39**(1), 80–105 (1996)
- 31. Corbett, J., Klassen, R.D.: Extending the horizons: environmental excellence as key to improving operations. Manuf. Serv. Oper. Manag. **8**(1), 5–22 (2006)
- 32. Sirovetnukul, R., Chutima, P.: The impact of walking time on U-shaped assembly line worker allocation problems. Eng. J. **14**(2), 53–78 (2010)