

# Translating Active Objects into Colored Petri Nets for Communication Analysis

Anastasia Gkolfi<sup>(✉)</sup>, Crystal Chang Din, Einar Broch Johnsen,  
Martin Steffen, and Ingrid Chieh Yu

Department of Informatics, University of Oslo, Oslo, Norway  
{natasa,crystald,einarj,msteffen,ingridcy}@ifi.uio.no

**Abstract.** Actor-based languages attract attention for their ability to scale to highly parallel architectures. Active objects combine the asynchronous communication of actors with object-oriented programming by means of asynchronous method calls and synchronization on futures. However, the combination of asynchronous calls and synchronization introduces communication cycles which lead to a form of communication deadlock. This paper addresses such communication deadlocks for ABS, a formally defined active object language which additionally supports cooperative scheduling to express complex distributed control flow, using first-class futures and explicit process release points. Our approach is based on a translation of the semantics of ABS into colored Petri nets, such that a particular program corresponds to a marking of this net. We prove the soundness of this translation and demonstrate by example how the implementation of this net can be used to analyze ABS programs with respect to communication deadlock.

## 1 Introduction

The Actor model [1,2] of concurrency is attracting increasing attention for their *decoupling* of control flow and communication. This decoupling enables both scalability (as argued with the Erlang programming language [3] and Scala's actor model [14]) and compositional reasoning [11]. Actors are independent units of computation which exchange messages and execute local code sequentially. Instead of pushing the current procedure (or method activation) on the control stack when sending a message as in thread-based concurrency models, messages are sent asynchronously, without any transfer of control between the actors. In the actor model, a message triggers the execution of a method body in the target actor, but a reply to the message is not directly supported. Extending the basic actor model, active object languages (e.g., [8,18]), which combine actor-like communication with object orientation, use so-called futures to reintroduce synchronization by combining asynchronous message sending with the call and

---

The work was partially supported by the Norwegian Research Council under the CUMULUS project.

reply structure of method calls. A future can be seen as a mailbox from which a reply may be retrieved, such that the synchronization is decoupled from message sending and associated with fetching the reply from a method call. The caller synchronizes with the existence of a reply from a method call by performing a *blocking* get-operation on the future associated with the call. However, this synchronization may lead to complex dependency cycles in the communication chain of a program, and gives rise to a form of deadlock with a set of mutually blocked objects. This situation is often called a *communication deadlock* [9].

This paper addresses the problem of communication deadlock for the active object language ABS [18, 19]. ABS is characteristic in that it supports *cooperative concurrency* in the active objects. Cooperative concurrency allows the execution of a method body to be suspended at explicit points in the code, for example by testing whether a future has received a value. Cooperative concurrency leads to a form of local race-free interleaving for concurrently executing active objects, which allows more execution traces than in standard active objects. Our approach to tackle the callback problem for ABS is based on a translation of the formal semantics of ABS into colored Petri nets (CPN) [17]. Petri nets provide a basic model of concurrency, causality, and synchronization [22, 25], which has previously been used to analyze communication patterns and deadlock, e.g., [10, 15]. CPNs extend the basic Petri net model with support for modeling data. In contrast to previous work, we do not produce a particular Petri net for each program to be analyzed. Instead, we provide an encoding and implementation of the formal semantics of ABS itself as a net, and use colored tokens in this net to encode the program. Consequently, the number of places in the net is independent of the size of a program, and different programs are captured by different markings of the net. For example, this approach allows us to capture dynamic object creation by firing transitions in the net.

The main contributions of this paper are:

- a deep encoding of the formal semantics of ABS in CPNs;
- a translation of concrete ABS programs into markings of this net;
- a soundness proof for the translation from ABS to CPN; and
- an example demonstrating how to analyze communication deadlocks for active objects in ABS using the implementation of this net in CPN Tools [24].

The paper is organized as follows: Sect. 2 introduces the syntax and semantics of the ABS language, focusing on the language features for communication and synchronization. Section 3 briefly introduces colored Petri nets. Section 4 explains the translation from ABS semantics to colored Petri nets and the soundness proof for this translation. Section 5 presents a concrete ABS example and shows how the CPN Tools detects communication deadlock. Section 6 discusses related work and Sect. 7 concludes the paper.

## 2 The ABS Concurrency Model

The Abstract Behavioral Specification language (ABS) [18, 19] is an object-oriented language for modeling concurrent and distributed systems. ABS

<i>Syntactic categories.</i>	<i>Definitions.</i>
$s$ in Stmt	$P ::= \overline{CL} \{ \overline{T} \overline{x}; s \}$
$e$ in Expr	$CL ::= \mathbf{class} C(\overline{T} \overline{x}) \{ \overline{T} \overline{x}; \overline{M} \}$
$g$ in Guard	$Sg ::= T m(\overline{T} \overline{x})$
	$M ::= Sg \{ \overline{T} \overline{x}; s \}$
	$s ::= s; s \mid \mathbf{skip} \mid x = rhs \mid \mathbf{if} e \{s\} \mathbf{else} \{s\}$ $\quad \mid \mathbf{while} e \mathbf{do} s \mid \mathbf{suspend} \mid \mathbf{await} g \mid \mathbf{return} e$
	$rhs ::= e \mid cm \mid \mathbf{new} C(\overline{e})$
	$cm ::= e!m(\overline{e}) \mid x. \mathbf{get}$
	$g ::= x? \mid g \wedge g$

**Fig. 1.** Abstract syntax of ABS, where overline notation such as  $\overline{e}$  and  $\overline{x}$  denotes (possibly empty) lists over the corresponding syntactic categories.

combines asynchronous communication from the Actor model [1, 2] with object orientation, and supports cooperative scheduling such that process release points are explicit in the program code. For the purposes of this paper, we focus on the communication and synchronization aspects of ABS. Also we ignore other aspects such as concurrent object groups, i.e., we consider one object per group, the functional sublanguage, and deployment aspects such as deployment components and resource annotations [19]. ABS is statically typed, based on interfaces as object types [18]. Ignoring the details of the type system, we let primitive types such as `Int` and `Bool` and class names constitute the types of a program, and ignore subtyping issues.

## 2.1 The Syntax

Figure 1 presents the syntax of ABS [18], focusing on communication and synchronization. Programs  $P$  consist of class definitions  $CL$  and a main block representing the program’s initial activity. Statements  $s$  include standard control-flow constructs such as sequential composition, assignment statement, conditionals, and while-loops. ABS supports *asynchronous* method calls  $f = e!m(\overline{e})$  where the caller and callee proceed concurrently and  $f$  is a so-called *future*. A future is a “mailbox” where the return value from the method call may eventually be returned to by the callee. A future that contains return value is resolved. The result of the asynchronous call can then be obtained by  $f.\mathbf{get}$ . Note that we may alternatively write asynchronous method call statement as  $e!m(\overline{e})$ , if the return value is not required. ABS also supports local synchronous calls which are more standard. For brevity, we elide discussion of synchronous method calls here (the CPN realization in Sect. 4 also covers synchronous, reentrant self-calls).

The (active) objects of ABS act like monitors, allowing at most one method activation, or process, to be executed at a time. The local execution in an object is based on *cooperative* scheduling by introducing a guard statement  $\mathbf{await} g$ : If  $g$  evaluates to true, execution may proceed; if the guard  $g$  evaluates to false, execution is suspended and another process may execute. For a future  $f$ , the guard  $f?$  evaluates true if  $f$  contains the return value from the associated method

call and otherwise it evaluates to false. The **suspend**-statement always suspends the executing process. The typical usage of asynchronous calls follow the pattern  $f = e!m(\bar{e}); \dots; \mathbf{await} f?; \dots; x = f.\mathbf{get}$ .

## 2.2 The Operational Semantics

The operational semantics of ABS specifies transitions between *configurations*. A run-time configuration contains objects  $o\langle a, p, q \rangle$ , messages  $\langle o'.m(v) \rangle_f$ , resolved futures  $\langle v \rangle_f$ , and unresolved futures  $\langle \perp \rangle_f$ . We use  $\parallel$  to denote the (associative and commutative) parallel composition of such entities in a run-time configuration. Class definitions, which do not change during execution, are assumed to be implicitly available in the operational rules. The semantics maintains as invariant that object identities  $o$  and future identities  $f$  are unique. Objects  $o\langle a, p, q \rangle$  are instances of classes with an identifier  $o$ , an object state  $a$  which maps instance variables to values, an active process  $p$ , and an unordered queue  $q$  of suspended processes. A *process*  $p$  is a triple  $\langle l \mid s \rangle_f$  with a local state  $l$  (mapping method-local variables to values), a statement  $s$ , and a future reference  $f$ . We omit the future reference in the rules if it is unnecessary. The special process *idle* is used to represent that there is no active process. A message  $\langle o'.m(v) \rangle_f$  represents a method call *before* it starts to execute and the resolved future  $\langle v \rangle_f$  the corresponding return value after method execution.

Figure 2 gives the rules of the operational semantics, concentrating on the behavior of a single active object. A skip-statement has no effect (cf. rule SKIP). In an idle object, the scheduler selects (and removes) a process  $p$  from the queue, and starts executing it (cf. rule ACTIVATE). Executing **suspend** moves the active process to the queue, resulting in an idle object (cf. rule SUSPEND). Assignments are either to instance variables or local variables (cf. rules ASSIGN<sub>1</sub> and ASSIGN<sub>2</sub>, where  $\sigma$  is used to abbreviate the pair of local states  $l$  and object states  $a$ . We assume that these are disjoint, so the two cases are mutually exclusive.) We omit the standard rules for conditionals and while-loops. Object creation is captured by rule NEW-OBJECT, where  $a'$  is the initial state of the new object (determined by an auxiliary function *atts*) and  $p'$  is the object's initial activity. An asynchronous method call creates a fresh future reference  $f$  and adds a message and unresolved future corresponding to the call to the configuration (cf. rule ASYNC-CALL). Binding a method name to the corresponding method body is done in rule BIND-MTD. The binding operation, locating the code of the method body and instantiating the formal parameters, works in the standard way via late-binding, consulting the class hierarchy.

The return statement stores the return value in the corresponding future, resolving the future (cf. rule RETURN). The get-command allows the result value to be obtained from the corresponding future reference if the future's value has been produced, in which case the future has been *resolved* (cf. rule GET). Otherwise, the get-command blocks. An attempt to fetch a future value via a get statement does not introduce a scheduling point. Should the value never be produced, e.g., because the corresponding method activation does not return, the client object of the future, executing the get-command, will be blocked. A

$$\begin{array}{c}
\text{(SKIP)} \\
\frac{}{o\langle a, \langle l \mid \mathbf{skip}; s \rangle, q \rangle \rightarrow o\langle a, \langle l \mid s \rangle, q \rangle} \\
\\
\text{(ASSIGN}_1\text{)} \\
\frac{x \in \text{dom}(l)}{o\langle a, \langle l \mid x = e; s \rangle, q \rangle \rightarrow o\langle a, \langle l[x \mapsto [e]_\sigma] \mid s \rangle, q \rangle} \\
\\
\text{(ASSIGN}_2\text{)} \\
\frac{x \in \text{dom}(a)}{o\langle a, \langle l \mid x = e; s \rangle, q \rangle \rightarrow o\langle a[x \mapsto [e]_\sigma], \langle l \mid s \rangle, q \rangle} \\
\\
\text{(ASYNC-CALL)} \\
\frac{[e]_\sigma = o' \quad \text{fresh}(f)}{o\langle a, \langle l \mid x = e!m(\bar{e}); s \rangle, q \rangle \rightarrow o\langle a, \langle l \mid x = f; s \rangle, q \rangle \parallel \langle o'.m([\bar{e}]_\sigma) \rangle_f \parallel \langle \perp \rangle_f} \\
\\
\text{(NEW-OBJECT)} \\
\frac{\text{fresh}(o') \quad a' = \text{atts}(C, [e]_\sigma, o')}{o\langle a, \langle l \mid x = \mathbf{new} C(\bar{e}); s \rangle, q \rangle \rightarrow o\langle a, \langle l \mid x = o'; s \rangle, q \rangle \parallel \langle o' \langle a', \text{idle}, \emptyset \rangle \rangle_f} \\
\\
\text{(AWAIT}_1\text{)} \\
\frac{[e]_\sigma = f}{o\langle a, \langle l \mid \mathbf{await} e; s \rangle, q \rangle \parallel \langle v \rangle_f \rightarrow o\langle a, \langle l \mid s \rangle, q \rangle \parallel \langle v \rangle_f} \\
\\
\text{(ACTIVATE)} \\
\frac{p = \text{select}(q, a)}{o\langle a, \text{idle}, q \rangle \rightarrow o\langle a, p, q \setminus p \rangle} \\
\\
\text{(SUSPEND)} \\
\frac{}{o\langle a, \langle l \mid \mathbf{suspend}; s \rangle, q \rangle \rightarrow o\langle a, \text{idle}, \langle l \mid s \rangle :: q \rangle} \\
\\
\text{(RETURN)} \\
\frac{}{o\langle a, \langle l \mid \mathbf{return} (e); s \rangle_f, q \rangle \parallel \langle \perp \rangle_f \rightarrow o\langle a, \text{idle}, q \rangle \parallel \langle [e]_\sigma \rangle_f} \\
\\
\text{(BIND-MTD)} \\
\frac{p = \text{bind}(o, m, \bar{v}, f)}{o\langle a, \langle l \mid s \rangle, q \rangle \parallel \langle o.m(\bar{v}) \rangle_f \rightarrow o\langle a, \langle l \mid s \rangle, p :: q \rangle} \\
\\
\text{(READ-FUT)} \\
\frac{f = [e]_\sigma}{o\langle a, \langle l \mid x = e. \mathbf{get}; s \rangle, q \rangle \parallel \langle v \rangle_f \rightarrow o\langle a, \langle l \mid x = v; s \rangle, q \rangle \parallel \langle v \rangle_f} \\
\\
\text{(AWAIT}_2\text{)} \\
\frac{[e]_\sigma = f}{o\langle a, \langle l \mid \mathbf{await} e; s \rangle, q \rangle \parallel \langle \perp \rangle_f \rightarrow o\langle a, \langle l \mid \mathbf{suspend}; \mathbf{await} e; s \rangle, q \rangle \parallel \langle \perp \rangle_f}
\end{array}$$

Fig. 2. Operational semantics

common pattern for obtaining a future value therefore makes use of `await`: executing `await x?`; `x.get` checks whether or not the future reference for variable `x` has been produced. If not, the semantics of the `await` statement introduces a scheduling point. Once `x?` evaluates to true, the future's value remains available so `x.get` will not block. (see again rule READ-FUT).

Executing an `await` with a guard expression which evaluates to the identifier of a resolved future, behaves like a skip (cf. rule AWAIT<sub>1</sub>). An `await` on a list of futures are equivalent to a list of `await`s for individual futures. If the future corresponding to the guard expression has not been resolved, a `suspend`-statement is introduced to enable scheduling another process (cf. rule AWAIT<sub>2</sub>).

### 3 Colored Petri Nets

Places and transitions in Petri nets capture true concurrency in terms of causality and synchronization [22, 25]. Colored Petri nets (CPNs) extend the basic Petri net formalism to additionally model, e.g., data [16, 17]. A CPN has color sets (=types). The set of types determines the data values and the operations that can be used in the net expressions. A type can be arbitrarily complex, defined by many sorted algebra in the same way as abstract data types. Each place in a CPN has an associated color set, restricting the kind of data a place can contain. Tokens in a typed place represent individual values of that type. CPNs in their basic form (ignoring hierarchical definitions) are defined as follows:

**Definition 1 (Colored Petri net).** *A colored Petri net (CPN) is a tuple  $(P, T, A, \Sigma, V, C, G, E, I)$  where*

- places  $P$  and transitions  $T$  are disjoint finite sets;
- arcs  $A$  form a bipartite, directed graph over  $P$  and  $T$ , i.e.,  $A \subseteq P \times T \dot{\cup} T \times P$ ;
- types  $\Sigma$  form a finite set (each type seen as a non-empty “color set”);
- typed variables  $V$  form a finite set, i.e.,  $\text{type}(v) \in \Sigma$  for all  $v \in V$ ;
- a coloring  $C : P \rightarrow \Sigma$  associates a type to each place.
- labeling functions  $G : T \rightarrow \text{Expr}_V$  (guards) and  $E : A \rightarrow \text{Expr}_V$  associate expressions to transitions and arcs; and the
- initialization function  $I : P \rightarrow \text{Expr}_0$  associates expressions to places.

in which expressions are appropriately typed; i.e.,  $\text{type}(G(t)) = \text{Bool}$ ,  $\text{type}(E(a)) = C(p) \rightarrow \mathbb{N}$ , where  $p$  is the place connected to  $a$ , and  $\text{type}(I(p)) = C(p) \rightarrow \mathbb{N}$  for all places.

Transitions and their guards express synchronization conditions which, together with the labels on the arcs, express the transition semantics of Petri nets. Since tokens are individual typed values and expressions contain variables, the enabledness of transitions depends on the choice of values for the free variables.

Bindings (or variable assignments)  $b$  are mappings from variables to values; we assume bindings to respect the types of the variables. The *variables of a transition*  $t$ , written  $\text{Var}(t) \subseteq V$ , consist of the free variables in the guard of  $t$  and in the arc expressions of the arcs connected to  $t$ . The binding of a transition covers (at least) all variables from  $\text{Var}(t)$ . Let  $[E]_b$  denote the value of expression  $E$  under variable binding  $b$ . Given a CPN, a *marking*  $M$  is a function  $P \rightarrow (\Sigma \rightarrow \mathbb{N})$  (the *initial marking*  $M_0(p)$  is defined by  $I(p)$ ) and a *step* is a selection of the net’s transitions together with appropriate bindings for the variables of each transition such that the selected transitions are enabled, defined as follows:

**Definition 2 (Enabledness).** *A transition  $t$  is enabled in a marking  $M$  for binding  $b$ , if,*

1.  $[G(t)]_b = \text{true}$ , and
2.  $M(p) \geq_m [E(p, t)]_b$ , for all places  $p \in P$ ,

where  $\geq_m$  is the usual ordering between multisets.

A step  $Y$  is enabled in a marking  $M$ , if for all places  $p$ ,  $(t, b)$  from  $Y$ ,  $t$  is enabled for  $b$  in  $M$ ,  $M(p) \geq_m [E(p, t)]_Y$ . The semantics  $[E(p, t)]_Y$  represents the multi-set  $\sum_{(t,b) \in Y} [E(p, t)]_b$ .

When  $t$  is enabled for  $b$ , in  $M$ , it may *occur* or “fire”, leading to the marking  $M'$  where  $M'(p) = (M(p) - [E(p, t)]_b) + [E(t, p)]_b$ , for all places  $p$ . Similarly for enabled steps  $Y$ ,  $M_1 \xrightarrow{Y} M_2$  denotes that a marking  $M_1$  evolves into  $M_2$  by “firing” step  $Y$ . A (finite) *occurrence sequence* is a sequence of markings and steps of the form

$$M_1 \xrightarrow{Y_1} M_2 \xrightarrow{Y_2} M_3 \dots M_n \xrightarrow{Y_n} M_{n+1}. \quad (1)$$

Note that “true concurrency” semantics, typical for Petri nets, allows the simultaneous, firing of transitions in a step. Whereas steps are required to be non-empty, a step which only fires one transition  $t$  and binding  $b$ , is denoted  $\xrightarrow{t,b}$ . A

reduction semantics restricted to such single transition steps is equivalent to the unrestricted semantics, but corresponds to “interleaving concurrency”.

## 4 Translating ABS Semantics to Colored Petri Nets

In this section, we define the translation from ABS to CPNs. After a short introduction covering the core ideas of the translation, in Sect. 4.2 we highlight crucial parts of how the ABS semantics are represented on the Petri net level, focusing on parts of the communication mechanism, in particular dealing with asynchronous method calls and the resolution of futures via `get`. In Sect. 4.3, we define an abstraction function relating program configurations and the corresponding Petri net markings. Afterwards, Sect. 4.4 establishes the soundness of the Petri net semantics, defining a simulation relation between the steps of the operational semantics and the transitions of the resulting Petri net.


### 4.1 Overview over the Petri Net Semantics for ABS

The starting point of the translation are abstract ABS programs, i.e. programs where *data* values have been abstracted already. Still, there are two remaining sources of *infinity* in the state space: creation of (active) objects and creation of processes and accompanying future references via asynchronous method calls. Note in passing that in absence of synchronous, reentrant method calls, unboundedly growing stacks do not contribute to the potential unboundedness of the state space. In the translation, one can conceptually distinguish between *language-specific* aspects and *program-specific* aspects: the ABS language and its semantics is represented by one CPN, common for all programs. This CPN therefore can be seen as a translation of the ABS-language as such. Roughly, each semantic rule from the operational semantics of Fig. 2 is represented by transitions and places, with appropriate types and guards. Figure 3 shows a birds eye view of the overall Petri net as represented in the CPN Tools.

In contrast, one particular program, respectively, one particular run-time configuration of a program, is represented by a *marking* of the Petri net. The expressive power of *colored* Petri nets is crucial to achieve such a conceptually clear and structural translation: since tokens are distinguishable, the transitions and places operated on type values allow to represent the components of a configuration in a clean manner. For instance, object, process, and future identities are all naturally represented in the tool by integers.

### 4.2 CPN-ABS Communication Mechanism

Figure 3 shows the implementation of this translation with the CPN Tools. From now on, we will refer to it as CPN-ABS. In CPN-ABS, communication takes place between objects represented as tokens which carry information about their identity, their class, and their process pool, therefore triples of the form  $(id, class, q)$ . CPN-ABS supports not only object communication, but also the construction



**Fig. 3.** ABS semantics implemented with the CPN Tools

of the information each object carries. This allows dynamic creation of objects. CPN-ABS can be structurally divided into two parts: the first part, where all this information can be dynamically created through transition firing, and the second part which can simulate the possible communications of the objects. As shown in Fig. 3, CPN-ABS contains a lot of details in order to faithfully simulate ABS. In the following, we concentrate on an extract of the implementation (cf. Fig. 4), which focuses on the asynchronous communication mechanism. The implementation covers all ABS rules from Sect. 2, as well as synchronous reentrant self calls. For simplicity, in Fig. 4, we omit details like places which have an indirect relation with the semantics, and furthermore arcs and inscriptions where obvious.

As we can see in Fig. 4, there are three disjoint places where the object tokens can be located: “*Active Objects*”, “*Idle Objects*”, and “*Blocked Objects*”. When a method of an (active) object returns (here by firing the transition “*Return*”), it resolves a future and it moves the object to the “*Idle Objects*” place, as one can observe from the RETURN rule of the semantics. The inverse can be achieved through the ACTIVATE rule, where a process from the pool is activated. This is simulated by the “*Activate*” transition with the corresponding token moving.

Transition “*Caller*” selects the calling object from the “*Active Objects*” place (here we omit how the object selection is being done). We have two cases of communication through asynchronous method calls: immediately followed by a **get** statement or not. Both are simulated in the yellow region of the picture: It contains one place, “*Is\_synchronous*”, which has a token of type *Bool*. Its value corresponds to the presence of a **get** statement in the obvious way. By firing the transition “*Get*”, we alternate the value of the token. So, from this yellow region, transition “*Caller*” takes the information on whether the asynchronous call is followed by a **get** statement or not. In the latter case, the value of *b* is false and transition “*Caller*” maintains the object in the “*Active Objects*” place (which has the corresponding meaning for the status of the object – see rule ASYNC-CALL of the semantics), otherwise it sends the caller object to the “*Blocked Objects*” place until the waiting future can be retrieved from the “*Future*” place (see rule READ-FUT in the ABS semantics).





- $cl: \mathcal{C} \rightarrow Class$  which projects the object class in an ABS configuration,
- $ob: \mathcal{C} \rightarrow Obj$  which projects the objects in ABS configurations,
- $pr: \mathcal{C} \rightarrow \mathcal{P}(Proc)$  which projects the process pools of the objects of ABS configurations,
- $msg: \mathcal{C} \rightarrow Msg$  which projects the messages  $Msg$  of ABS configurations and
- $fut: \mathcal{C} \rightarrow F$  which projects the set of resolved futures that are related to **get** statements for each configuration.

Then, let  $m: Msg \rightarrow Proc$  be the injection which maps each invocation message to the process that will be created for the execution of the called method. Let furthermore  $fr: F \rightarrow Proc$  be the injection from the set of resolved futures  $F$  related to **get** statements to the set of processes  $Proc$ , since they are related to the change of the blocked status of the objects which wait to read those futures. Finally, let  $pq: \mathcal{P}(Proc) \rightarrow \mathcal{P}(\mathbb{Z}^+)$  be the mapping from the process pools to sets of (unique) positive integers such that for every process pool  $S$ ,  $pq(S) = \{g(s) \in \mathbb{Z}^+ \mid s \in S\}$ . In CPN-ABS, we model objects as tokens which carry information about their identity, their class and their process pool. As a consequence, each object is represented as a triple  $(id, class, q)$ , where  $id$  is the object identifier of type  $Int$ ,  $class$  is the corresponding class of the object i.e. the class identifier of type  $Int$  and  $q$  is the process pool of the object of type list of integers.

Now, we can define the abstraction function  $\alpha$ . In the following,  $P$  is the set of the places and  $M(p)$  the marking of a place  $p$  in CPN-ABS. Then, for all configurations  $c \in \mathcal{C}$ :

$$\begin{aligned} \alpha(c) = \bigcap \{ & M \mid \exists p, p', p'' \in P \text{ s.t. } p \neq p' \neq p'' \\ & \wedge ((h \circ ob)(c), (d \circ cl)(c), (pq \circ pr)(c)) \in M(p) \\ & \wedge (m \circ msg)(c) \in M(p') \\ & \wedge (g \circ fr \circ fut)(c) \in M(p'') \} , \end{aligned} \quad (2)$$

where,  $\bigcap$  denotes intersection over sets of multisets. Observe that, for every ABS configuration, the above intersection is nonempty, i.e. there is a marking such that all the objects of the configuration are represented as tokens in specific places of the model.

#### 4.4 Soundness Proof of the Translation

In this section we sketch the soundness proof of the translation, establishing a *simulation* relation between the small step operational semantics of ABS and the transitions of CPN-ABS. In particular, we need to prove that, for any ABS configuration  $c$ , if  $c \rightarrow_r c'$  for some semantic rule  $r$ , then there exists a marking  $M'$  and a *sequence* of CPN-ABS transitions  $u$ , such that  $\alpha(c) \xrightarrow{u} M'$  and  $\alpha(c') \subseteq_m M'$  (where, with  $\subseteq_m$  we denote the subset relation between sets of multisets as an extension of  $\subseteq_m$ ). To establish the above relation, we need to prove that  $u$  has a corresponding CPN-ABS occurrence sequence, i.e. that all the transitions of  $u$  can fire in the same order as they appear in  $u$ .

Consequently, we try to construct each transitions sequence  $u$  in such a way that there exists the corresponding occurrence sequence. We use a finite alphabet  $\mathcal{B}$  which consists of the names of the transitions that appear in CPN-ABS and construct words over this alphabet that correspond to occurrence sequences, with  $\epsilon$  to be the empty word. We should mention here, that, for all  $b \in \mathcal{B}$ ,  $b^0 = \epsilon$ . We call these words *occurrence words*. The set that contains those occurrence words can be given from the image of a translation function  $Tr: Sem \rightarrow \mathcal{B}^*$ , where  $Sem$  is the set of the ABS semantic rules of Sect. 2. In the following, we provide some definitions and lemmas in order to achieve modularity for the construction of occurrence words. We will denote as  $En(M)$  the set of enabled transitions for a marking  $M$  and  $\mathcal{M}_{reach}$  the set of reachable markings of the Petri net.

**Definition 3 (Independent transition).** *A transition  $t \in T$  is called independent if, for any marking  $M \in \mathcal{M}_{reach}$ ,  $t \in En(M)$  and  $M \xrightarrow{t} M'$  implies  $En(M) \subseteq En(M')$ .*

**Definition 4 (Post-transition).** *The post-transitions of a transition  $t \in T$  are given by the function  $PostTrans: T \times \mathcal{M}_{reach} \rightarrow \mathcal{P}(T)$  where  $PostTrans(t, M) = \{t' \in En(M') \mid M \xrightarrow{t} M'\}$ .*

**Lemma 1 (Composition).** *The composition of an occurrence sequence  $M_1 \xrightarrow{t_1} M_2 \xrightarrow{t_2} \dots \xrightarrow{t_n} M_{n+1}$  with another occurrence sequence  $M'_1 \xrightarrow{t'_1} M'_2 \xrightarrow{t'_2} \dots \xrightarrow{t'_m} M'_{m+1}$  is the occurrence sequence  $M_1 \xrightarrow{t_1} M_2 \xrightarrow{t_2} \dots \xrightarrow{t_n} M_{n+1} \xrightarrow{t'_1} M''_2 \xrightarrow{t'_2} \dots \xrightarrow{t'_m} M''_{m+1}$ , whenever  $M'_1 \subseteq_m M_{n+1}$  and  $[G(t'_1)]_{b_{n+1}} = true$  and furthermore  $\bigwedge_{2 \leq i \leq m} [G(t'_i)]_{b_i} = true$  and  $M'_j \subseteq_m M''_j$ , for all  $1 \leq j \leq m + 1$ .*

*Proof.* For the prefix of the sequence which is identical to the first composed sequence, the result is trivial. Then, since  $M'_1 \subseteq_m M_{n+1}$ , after  $t'_1$ , obviously, if  $[G(t'_2)]_{b'_2} = true$ , then  $M'_2 \subseteq_m M''_2$ , and so on.  $\square$

In the sequel, we accordingly use the term *composition of occurrence words*.

**Lemma 2.** *For all ABS semantic rules  $r$ ,  $Tr(r)$  is an occurrence word.*

*Proof.* The idea is to assign to  $Tr$  a concrete value for each possible argument (i.e. for each rule of the operational semantics, and then, for each value, to prove that it is an occurrence word). As in Sect. 4.2 we presented just an extract of the real implementation, we will present one representative case, namely rule READ-FUT rule based on the Petri net extract of Fig. 4.

In this case,  $Tr(\text{READ-FUT}) = \text{“Get”}^{i-1} \text{“Caller” “Read Future”}$ , where  $i = 1$  if the marking of the place *“Is\_synchronous”* is *true* before firing *“Get”*, 0 otherwise. We need to prove that it is an occurrence word. Indeed, let  $c$  be the configuration before the application of the rule READ-FUT and  $c'$  the one after it. Let,  $ob_1$  be the object abstracted from  $c$ . Then  $ob_1 \in M(\text{“Active Objects”})$ . *“Get”* is an independent transition. If  $i = 0$ , then  $M \xrightarrow{\text{Get}} M^{(1)}$  is an occurrence sequence. Otherwise,  $M^{(1)} = M$ . Obviously,  $M^{(1)}(\text{“Is_synchronous”}) =$

$\{true\}$ . Transition “*Caller*”  $\in En(M^{(1)})$ , since “*Caller*”  $\in En(M)$  and also “*Caller*” is a post-transition of “*Get*”, so we can take  $M^{(1)} \xrightarrow{\text{Caller}} M^{(2)}$  where  $ob_1 \in M^{(2)}$  (“*Blocked Objects*”). So, “*Get*” “*Caller*” is an occurrence word. From the hypothesis of READ-Fut we know that there exists a marking  $M^{(3)}$  s.t.  $f \in M^{(3)}$  (“*Future*”) and from Lemma 1, we obtain that “*Get*” <sup>$i-1$</sup>  “*Caller*” “*Read Future*” is an occurrence word.  $\square$

**Theorem 1 (Simulation).** *CPN-ABS is a (weak) simulation of ABS.*

*Proof.* We need to prove that, for any ABS configuration  $c$ , if  $c \rightarrow_r c'$  for some semantic rule  $r \in Sem$ , then there exists a marking  $M'$  and an occurrence word given by  $Tr(r)$ , such that  $\alpha(c) \xrightarrow{Tr(r)} M'$  and  $\alpha(c') \subseteq_m M'$ . This follows straightforwardly from the definition of the abstraction function  $\alpha$ , the image of  $Tr$ , and from Lemma 2.  $\square$

## 5 Deadlock Detection

The translation CPN-ABS and the underlying Petri net tool can be used for the detection of possible communication deadlocks of ABS programs. CPN-ABS contains three disjoint places, where, depending on the status of objects (i.e. active, idle or blocked), objects can be located. The place “*Blocked Objects*” which hosts the blocked objects has a color set of pair  $(ob, p)$ , where  $ob$  is object invoking an asynchronous call with a get-statement, i.e. an asynchronous blocking call, and  $p$  is the process that has been added to the process queue of the callee for the execution of the called method. Recall that  $ob$  is of color  $(id, class, q)$ , where  $id$  is object identity,  $class$  is the class that the object belongs to, and  $q$  is the process queue of the object. Given this particular structure of CPN-ABS, *there is a deadlock cycle [21] if and only if there exists a marking of the place “Blocked Objects”, in which there exists  $n$  tokens  $(ob_1, p_1)$  to  $(ob_n, p_n)$  that form a cycle, i.e. for  $1 \leq i < n$ ,  $p_i \in q_{i+1}$  and  $p_n \in q_1$  (where  $q_i$  is the process queue of the  $i^{th}$  object).* This deadlock situation can be detected by the state space report of the model checker of the CPN Tool used to implement CPN-ABS.

### 5.1 Example

We now use the publisher-subscriber example of Fig. 5 to illustrate how CPN-ABS detects communication deadlocks. Service objects publish news updates to subscribing clients through a chain of Proxy objects. Each proxy object handles a bounded number of clients. Service objects handle a subscribe request efficiently by delegating its time-consuming parts to Proxy objects, and the proxies publish news to clients using asynchronous calls (without futures) to make the cooperation efficient. As asynchronous method calls without get-statements do not cause deadlocks, we omit them from our analysis and only consider asynchronous blocking calls of the form  $f = elm(\bar{e}); \dots; x = f.get$ , where there are no suspension

```

1  class Service(Int limit) {
2    Producer prod = new Producer(); Proxy proxy = new Proxy(limit,this,prod);
3    Proxy lastProxy = proxy;
4
5    Void run() { this!produce(); }
6    Void subscribe(Client cl){Fut<Proxy> f; f = lastProxy!add(cl); lastProxy = f.get;}
7    Void produce(){proxy!start_publish(); }
8  }
9  class Proxy(Int limit, Service server, Producer prod) {
10   List<Client> myClients = Nil; Proxy nextProxy;
11
12   Proxy add(Client cl){ Proxy lastProxy = this; Fut<Proxy> f;
13     if length(myClients) < limit {myClients = append(myClients, cl);}
14     else {if nextProxy == null {nextProxy = new Proxy(limit,server,prod);}
15       f = nextProxy!add(cl); lastProxy = f.get;} return lastProxy; }
16
17   Void start_publish(){ Fut<Proxy> f'; f' = prod!detectNews(); await f'?;
18     News ns = f'.get; this!publish(ns); }
19
20   Void publish(News ns){ myClients!signal(ns);
21     if nextProxy == null {server!produce();} else {nextProxy!publish(ns);} }
22 }

```

**Fig. 5.** Implementation of the publisher-subscriber example.

points in between. There are two asynchronous blocking calls in lines 6 and 15 in the example, namely  $f = lastProxy!add(cl); lastProxy = f.get$  and  $f' = nextProxy!add(cl); lastProxy = f'.get$ . The former one expresses that a `Service` object invokes method `add` on a `Proxy` object through method `subscribe`. Similarly, the later one expresses that a `Proxy` object invokes method `add` on the next `Proxy` object through method `add`. By applying the model checker on an Intel i7 3.4 GHz, in less than 1 s we get the full state space report in which tokens of color  $((o_1, Service, q), p)$  and  $((o_3, Proxy, q'), p')$  can be found in the place “Blocked Objects”, and for all  $p, p', q, q'$  we have  $p \notin q'$  and  $p' \notin q$ . This shows that the implementation of the publisher-subscriber protocol is deadlock free.

Now, we slightly modify the protocol, where `get`-statements are added to the method calls in lines 7 and 21 and the `await` statement in line 17 is removed. In this case, CPN-ABS detects a communication deadlock cycle shown in Fig. 6, where  $p \in q'$  and  $p' \in q$  and both objects are trapped in the place “Blocked Objects” and cannot exit from there; in Fig. 6, the third and the fifth argument in the color tuples are outside of the scope of this work, so we ignore them, while, the existence of the two zero value tokens is for initialization reasons and they do not affect the deadlock analysis. Based on the information we obtained from this reachable marking, we can trace back to the program code and determine the deadlock represented by the call chain.

Remark that the translation supports scalability: the size of the net is independent from the program and represents the ABS semantics as such. I.e., by

increasing the number of Proxy objects or clients, only the number of tokens is affected and the analysis is highly automated.




Fig. 6. Deadlock detection by CPN-ABS.

## 6 Related Work

Deadlock detection is traditionally concerned with the usage of locks for thread-based concurrency. This line of work is surveyed in [23], which develops a type and effect system to capture lock manipulation for such a language. However, in active objects communication deadlocks are caused by call-cycles with synchronization, and the cooperative scheduling of ABS makes the analysis more complex. The problem has been studied using different approaches, including behavioral types [13], cost analysis [12], protocol specifications [21], and Petri nets [10] (discussed below). As the problem is undecidable and the approaches differ substantially, it is difficult to say exactly how they relate to each other in terms of strength of the proposed analyses. Petri nets and its extensions are popular formalisms to model and analyze systems with concurrency, communication and synchronization [22, 25]. Petri nets have in particular been applied to protocol and work flow analysis, but have also been used to study process algebra (e.g., [5, 7]), more recently including asynchronous communication [4]. Approaches which encode programming language features into Petri nets have been developed for Ada [15] and more recently for, e.g., Java [20], and for choreography languages like Orc [6]. In general, these approaches translate programs into nets such that the size of the program determines the size of the net and dynamic invocations or object creation cause difficulties. Previous work on deadlock analysis for active objects using Petri nets [10] follows a similar approach such that places represent locks on objects, futures, and processes. Transitions are introduced for each possible caller and callee to a method. To obtain a finite net, the approach abstracts from the actual number of futures such that the wrong future may be accessed in the Petri net. But if the net is deadlock free, so is the original active object program. In contrast to these approaches encoding a specific program as a net, our approach directly encodes the language semantics as a CPN and uses markings to define the concrete program; the colors of CPN are used to distinguish different method invocations and to create new objects and the size of the net itself is independent of the specific program.

## 7 Conclusion

This paper proposes an encoding of the formal semantics of ABS as a net, such that a program is given as a marking for this net. Exploiting the colored tokens, our net can support dynamic program behavior. We provide a soundness proof for our encoding and show how a model checker for colored Petri nets can be used to analyze communication deadlock for active objects in ABS. Whereas this paper has focused on communication and synchronization for ABS programs, ABS supports the specification of real-time behavior, deployment architectures, and resource-aware systems [19]. Our next step is to extend the model to support these features, and explore the usage of colored Petri nets for resource analysis and to compare resource-management strategies for distributed ABS programs.

## References

1. Agha, G.: *ACTORS: A Model of Concurrent Computations in Distributed Systems*. The MIT Press, Cambridge (1986)
2. Agha, G., Hewitt, C.: *Concurrent programming using actors*. In: Yonezawa, A., Tokoro, M. (eds.) *Object-Oriented Concurrent Programming*. The MIT Press, Cambridge (1987)
3. Armstrong, J.: *Programming Erlang: Software for a Concurrent World*. Pragmatic Bookshelf, Dallas (2007)
4. Baldan, P., Bonchi, F., Gadducci, F., Monreale, G.V.: Modular encoding of synchronous and asynchronous interactions using open Petri nets. *Sci. Comput. Program.* **109**, 96–124 (2015)
5. Best, E., Devillers, R., Koutny, M.: *Petri Net Algebra*. EATCS. Springer, Heidelberg (2001). doi:[10.1007/978-3-662-04457-5](https://doi.org/10.1007/978-3-662-04457-5)
6. Bruni, R., Melgratti, H., Tuosto, E.: Translating orc features into petri nets and the join calculus. In: Bravetti, M., Núñez, M., Zavattaro, G. (eds.) *WS-FM 2006*. LNCS, vol. 4184, pp. 123–137. Springer, Heidelberg (2006). doi:[10.1007/11841197\\_8](https://doi.org/10.1007/11841197_8)
7. Busi, N., Gorrieri, R.: A petri net semantics for pi-calculus. In: Lee, I., Smolka, S.A. (eds.) *CONCUR 1995*. LNCS, vol. 962, pp. 145–159. Springer, Heidelberg (1995). doi:[10.1007/3-540-60218-6\\_11](https://doi.org/10.1007/3-540-60218-6_11)
8. Caromel, D., Henrio, L.: *A Theory of Distributed Object: Asynchrony – Mobility – Groups – Components*. Springer, Heidelberg (2005). doi:[10.1007/b138812](https://doi.org/10.1007/b138812)
9. Chandy, K.M., Misra, J., Haas, L.M.: Distributed deadlock detection. *ACM Trans. Comput. Syst.* **1**(2), 144–156 (1983)
10. de Boer, F.S., Bravetti, M., Grabe, I., Lee, M., Steffen, M., Zavattaro, G.: A petri net based analysis of deadlocks for active objects and futures. In: Păsăreanu, C.S., Salaün, G. (eds.) *FACS 2012*. LNCS, vol. 7684, pp. 110–127. Springer, Heidelberg (2013). doi:[10.1007/978-3-642-35861-6\\_7](https://doi.org/10.1007/978-3-642-35861-6_7)
11. de Boer, F.S., Clarke, D., Johnsen, E.B.: A complete guide to the future. In: De Nicola, R. (ed.) *ESOP 2007*. LNCS, vol. 4421, pp. 316–330. Springer, Heidelberg (2007). doi:[10.1007/978-3-540-71316-6\\_22](https://doi.org/10.1007/978-3-540-71316-6_22)
12. Flores-Montoya, A.E., Albert, E., Genaim, S.: May-happen-in-parallel based deadlock analysis for concurrent objects. In: Beyer, D., Boreale, M. (eds.) *FMOODS/-FORTE -2013*. LNCS, vol. 7892, pp. 273–288. Springer, Heidelberg (2013). doi:[10.1007/978-3-642-38592-6\\_19](https://doi.org/10.1007/978-3-642-38592-6_19)

13. Giachino, E., Laneve, C., Lienhardt, M.: A framework for deadlock detection in core ABS. *Softw. Syst. Model.* **15**(4), 1013–1048 (2016)
14. Haller, P., Odersky, M.: Scala actors: unifying thread-based and event-based programming. *Theor. Comput. Sci.* **410**(2–3), 202–220 (2009)
15. Ichbiah, J., Barnes, J.G.P., Heliard, J.C., Krieg-Brückner, B., Roubine, O., Wichmann, B.A.: Modules and visibility in the Ada programming language. In: McKeag, R.M., Macnaghten, A.M. (eds.) *On the Construction of Programs*. Cambridge University Press, New York (1980)
16. Jensen, K.: Coloured petri nets. In: Brauer, W., Reisig, W., Rozenberg, G. (eds.) *ACPN 1986*. LNCS, vol. 254, pp. 248–299. Springer, Heidelberg (1987). doi:[10.1007/978-3-540-47919-2\\_10](https://doi.org/10.1007/978-3-540-47919-2_10)
17. Jensen, K., Kristensen, L.M.: *Coloured Petri Nets - Modelling and Validation of Concurrent Systems*. Springer, Heidelberg (2009). doi:[10.1007/b95112](https://doi.org/10.1007/b95112)
18. Johnsen, E.B., Hähnle, R., Schäfer, J., Schlatte, R., Steffen, M.: ABS: a core language for abstract behavioral specification. In: Aichernig, B.K., de Boer, F.S., Bonsangue, M.M. (eds.) *FMCO 2010*. LNCS, vol. 6957, pp. 142–164. Springer, Heidelberg (2011). doi:[10.1007/978-3-642-25271-6\\_8](https://doi.org/10.1007/978-3-642-25271-6_8)
19. Johnsen, E.B., Schlatte, R., Tarifa, S.L.T.: Integrating deployment architectures and resource consumption in timed object-oriented models. *J. Logic. Algebr. Methods Program.* **84**(1), 67–91 (2015)
20. Long, B., Strooper, P.A., Wildman, L.: A method for verifying concurrent Java components based on an analysis of concurrency failures. *Concurr. Comput. Pract. Exp.* **19**(3), 281–294 (2007)
21. Owe, O., Yu, I.C.: Deadlock detection of active objects with synchronous and asynchronous method calls. In: *Proceedings of NIK 2014* (2014)
22. Petri, C.: *Kommunikation mit Automaten*. Ph.D. thesis, Universität Bonn (1962)
23. Pun, K.I.: *Behavioural static analysis for deadlock detection*. Ph.D. thesis, Department of informatics, University of Oslo, Norway (2014)
24. Ratzer, A.V., Wells, L., Lassen, H.M., Laursen, M., Qvortrup, J.F., Stissing, M.S., Westergaard, M., Christensen, S., Jensen, K.: CPN tools for editing, simulating, and analysing coloured petri nets. In: van der Aalst, W.M.P., Best, E. (eds.) *ICATPN 2003*. LNCS, vol. 2679, pp. 450–462. Springer, Heidelberg (2003). doi:[10.1007/3-540-44919-1\\_28](https://doi.org/10.1007/3-540-44919-1_28)
25. Reisig, W.: *Petri Nets*. Monographs in Theoretical Computer Science. An EATCS Series, vol. 4. Springer, Heidelberg (1985). doi:[10.1007/978-3-642-69968-9](https://doi.org/10.1007/978-3-642-69968-9)