

*Erratum*

## **Occurrence of *Penicillium marneffe* infections among wild bamboo rats in Thailand**

L. Ajello<sup>1</sup>, A. A. Padhye<sup>2</sup>, S. Sukroongreung<sup>3</sup>, C. H. Nilakul<sup>3</sup> & S. Tantimavanic<sup>3</sup>

<sup>1</sup>*Department of Ophthalmology, Emory University School of Medicine, Atlanta, Georgia;* <sup>2</sup>*Division of Bacterial and Mycotic Diseases, National Center for Infectious Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA;* <sup>3</sup>*Department of Clinical Microbiology, Faculty of Medical Technology, Mahidol University, Bangkok, Thailand*

*Mycopathologia* 131, No. 1. pp 4–5, 1995.

Table 3 should read as shown on the following pages.

On page 6, left column, line 5. The sentence should read:

....especially when they are correlated with **studies designed to selectively....** .

Table 3. Lower animal hosts of dimorphic systemic pathogenic fungi

Dimorphic fungi	Hosts	Ref. <sup>a</sup>	Dimorphic fungi	Hosts	Ref. <sup>a</sup>	
<i>Blastomyces dermatitidis</i>	<b>Domestic animals</b>			Cow	35	
	Cats ( <i>Felis domesticus</i> )	14		Dog	34	
	Dogs ( <i>Canis familiaris</i> )	15–17		Horse	34	
	Horses ( <i>Equus caballus</i> )	18		Rabbit ( <i>Oryctolagus cuniculus</i> )	36	
				Swine	37	
				<b>Wild animals</b>		
				Armadillo, seven banded	38	
				( <i>Dasyopus hybridus</i> )		
				Armadillo, nine banded	39	
				( <i>D. novemcinctus</i> )		
<i>Coccidioides immitis</i>	<b>Domestic animals</b>			Badger ( <i>Meles meles</i> )	40	
	Cats	22		<b>Bats</b>		
	Cattle ( <i>Bos taurus</i> )	23		<i>Artibeus jamaicensis</i>	41	
	Dogs	24		<i>Brachyphylla cavernarum</i>	42	
	Horses	25		<i>B. nana</i>	43	
	Sheep ( <i>Ovis aries</i> )	26		<i>Carollia perspicillata</i>	44	
	Swine ( <i>Sus scrofa</i> )	27		<i>Chilonectria rubiginosa</i>	44	
	<b>Wild animals</b>			<i>Desmodus rotundus</i>	44	
	Coyotes ( <i>Canis latrans</i> )	28		<i>Eptesicus fuscus</i>	45	
	Otter, California sea ( <i>Enhydra lutris</i> )	29		<i>Glossophaga soricina</i>	44	
	Peccary ( <i>Tayassu tajacu</i> )	30		<i>Leptoncyteris sanborni</i>	46	
	<b>Rodents</b>			<i>Lonchophylla robusta</i>	47	
	<i>Dipodomys merriami</i> (kangaroo rat)	31		<i>Lonchorhina aurita</i>	44	
	<i>Onchomys torridus</i> (grasshopper mouse)	32		<i>Macrotus waterhousei</i>	48	
	<i>Perognathus baileyi</i> (pocket mouse)	31		<i>Microncyteris megalotis</i>	49	
	<i>P. intermedius</i> (pocket mouse)	31		<i>Molossus ater</i>	50	
	<i>P. penicillatus</i> (pocket mouse)	31		<i>M. daulensis</i>	51	
	<b>Snake</b>			<i>M. major</i>	52	
	Sonoran gopher snake ( <i>Pituophis melanoleucus affinis</i> )	33		<i>Mormoops blainwillii</i>	43	
				<i>Myotis austroriparius</i>	45	
	<i>Histoplasma capsulatum</i> var. <i>capsulatum</i>	<b>Domestic animals</b>				
		Cat	34			

<sup>a</sup>Selected references.

Table 3. Continued

Dimorphic fungi	Hosts	Ref. <sup>a</sup>	Dimorphic fungi	Hosts	Ref. <sup>a</sup>
<i>Histoplasma capsulatum</i>	<b>Wild animals (Continued)</b>				
var. <i>capsulatum</i>	<i>M. griseescens</i>	45		Opposum, four eyed ( <i>Philander opposum</i> )	61
	<i>M. lucifugus</i>	45		Paca ( <i>Agouti paca</i> )	62
	<i>Myotis myotis</i>	53		Raccoon ( <i>Procyon lotor</i> )	59
	<i>M. sodalis</i>	45		Rat, brown ( <i>Rattus norvegicus</i> )	63
	<i>Noctilio labialis</i>	47		Rat, roof ( <i>R. rattus</i> )	64
	<i>Nycticeius humeralis</i>	45		Rat, spiny	62
	<i>Phyllostomus discolor</i>	41		( <i>Prochimys guyannensis</i> )	
	<i>P. hastatus</i>	49		Rat, spiny ( <i>P. semispinosus</i> )	61
	<i>Pipistrellus subflavus</i>	54		Shrew, short tailed	59
	<i>Pteronotus rubiginosa</i>	47		( <i>Blarina brevicauda</i> )	
	<i>P. suapurensis</i>	47		Skunk, spotted	64
	<i>Saccopteryx bilineata</i>	50		( <i>Spilogale putorius</i> )	
	<i>Tadarida brasiliensis</i>	55		Skunk, striped	56
	<i>T. yucatanica</i>	47		( <i>Mephitis mephitis</i> )	
	<i>Tonatia bidens</i>	47		Sloth, two-toed ( <i>Choloepus didactylus</i> )	62
	Fox, grey ( <i>Urycon cinereoargenteus</i> )	56		Squirrel, thirteen lined ground ( <i>Citellus tridecemlineatus</i> )	59
	Fox, red ( <i>Vulpes fulva</i> )	57		Woodchuck ( <i>Marmota monax</i> )	56
	Hedge hog, ( <i>Erinaceus europaeus</i> )	58			
	Mice, field ( <i>Mus musculus</i> )	56	<i>Histoplasma</i>	<b>Domestic animals – None</b>	
	Mice, white footed ( <i>Peromyscus leucopus</i> )	59	<i>capsulatum</i> var. <i>duboisii</i>	<b>Wild animals</b>	
	Monkey, long tailed ( <i>Cercopithecus neglectus</i> )	60		Baboon, yellow ( <i>Papio cynocephalus</i> )	65, 66
	Opossum, wooly ( <i>Caluromys derbianus</i> )	61		Baboon, western ( <i>P. papio</i> )	67
	Opossum, common ( <i>Didelphis marsupialis</i> )	61	<i>Paracoccidioids</i>	Bat ( <i>Nycteris Hispida</i> )	68
	Opossum, Virginia ( <i>Didelphis virginiana</i> )	59	<i>brasilienis</i>	<b>Domestic animals – None</b>	
				<b>Wild animals</b>	
				Armadillo, nine banded ( <i>Dasypus novemcinctus</i> )	69

<sup>a</sup>Selected references.